

Certificate of Analysis

PRODUCT DETAILS						
Product Name	eme CAMPHOR OIL WHITE					
Product Code		OECHAM				
INCI Name		Cinnamomum camphora				
Best Before Date		June 2026				
Batch Number		4508202				
Manufacturing Process		Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude				
		camphor oil.				
Identification		CAS No: 92201-50-8		EINECS No: 2	295-980-1	
		Alternate CAS: 92201-50-9				
PHYSICAL AND CHEMIC	CAL CHARAC	TERISTIC				
		SPECIFICATION RANGE		RESULT		
Appearance		Liquid			Conforms	
Colour		Colourless			Conforms	
Odour		Characteristic			Conforms	
Flash Point		46°c		Conforms		
Relative Density @ 20°c		0.8700 - 0.9100		0.8797		
Refractive Index @ 20°c		1.4620 - 1.4720		1.4682		
1,8 Cineol content		35% min		38.2		
Optical Rotation °		+2 to +12		2.58		
MAIN CONSTITUENTS						
CONSTITUENT RANGE	RESULTS	CONSTITUENT RANGE	RESULTS	CONSTIT	UENTS RANGE	RESULTS
1, 8 Cineole 33-45%	38.20%	Limonene 8-36%	18.30%	Alpha P	inene 4-17%	6.30%
P-Cymene 112.40%	9.80%	p-mentha-1,4-diene 0.50-10%	1.00%	Beta Pinene 0.70-9% 3.30%		3.30%
Alpha Phellandrene 0.50-4%	0.60%	Myrcene 0.50-8%	3.00%	Sabine	ene 0.1-25%	7.50%
A Terpinolene 0.09-5%	0.40%	p-menth-1-en-8-ol 0.02-3%	1.60%	Terpinene-1-ol-4 0.01-3% 0.40%		
STORAGE AND SHELF L	IFE					
Storage		Store in tightly closed container with minimum headspace in a cool, dark and dry place.				

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



CMR (Carcinogenic, mutagenic, reprotoxic) STATEMENT

We hereby confirm, to the best of our knowledge and from information received from our supplier, that the below mentioned product does not contain any CMR Substances.


However, due to the fact that we do not analyse the batches, we cannot guarantee any explicit assurance.

Product: Camphor Oil White

09 March 2021

MYSTIC M@MENTS

CAMPHOR OIL WHITE FLOW CHART





Vegan and Vegetarian Statement

IDENTIFICATION		
Product:	Camphor Oil White	
Cas No:	92201-50-8 / 8008-51-3	
EINECS No:	295-980-1	
STATEMENT		

We, Madar Corporation Limited, from information received from our supplier, hereby declare that the material listed above is suitable for the following:

Vegans (Excludes all animal derived products, including dairy, eggs, leather, bee products (beeswax and honey).

Lacto Vegetarians (Same as vegan but allows milk products and bee products.

Ovo Vegetarians (Same as vegan but allows egg products and bee products)

It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.

MYSTIC MOMENTS

SAFETY DATA SHEET CAMPHOR OIL WHITE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CAMPHOR OIL WHITE

Product number OECAMP

Synonyms; trade names Camphor tree, Cinnamomum camphora ext

REACH registration number 01-2120082524-56-XXXX

 CAS number
 92201-50-8

 Alternative Cas Number
 8008-51-3

 EC number
 295-980-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

1.3. Details of the supplier of the safety data sheet

Supplier Madar Corporation Limited

19 - 20 Sandleheath Industrial Estate

Fordingbridge SP6 1PA

Tel. +44 1425 655 555

e-mail technical@madarcorporation.co.uk

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Chronic 2 - H411

Human healthMay be fatal if swallowed and enters airways. The product is irritating to eyes and skin. May

cause an allergic skin reaction.

Environmental Toxic to aquatic life with long lasting effects.

Physicochemical Flammable liquid and vapour

2.2. Label elements

EC number 295-980-1

Hazard pictograms









Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P262 Do not get in eyes, on skin, or on clothing.

Contains

1, 8 cineole, dipentene, Alpha Pinene, p-Cymene, p-mentha-1,4-diene, Beta Pinene, 7-

methyl-3-methyleneocta-1,6-diene, Sabinene, a terpinolene

Supplementary precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

1 302 11 304 Take on contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

1, 8 cineole 22 - 45%

CAS number: 470-82-6 EC number: 207-431-5

Classification

Flam. Liq. 3 - H226 Skin Sens. 1B - H317

dipentene 8 - 36%

CAS number: 138-86-3 EC number: 205-341-0

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Alpha Pinene 3.25 - 20%

CAS number: 80-56-8 EC number: 201-291-9

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

p-Cymene 1 – 14.00%

CAS number: 99-87-6 EC number: 202-796-7

Classification

Flam. Liq. 3 - H226 Repr. 2 - H361 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411

p-mentha-1,4-diene 0.00 - 10%

CAS number: 99-85-4 EC number: 202-794-6

Classification

Flam. Liq. 3 - H226 Repr. 2 - H361

Aquatic Chronic 2 - H411

Beta Pinene 0.00 - 9%

CAS number: 127-91-3 EC number: 242-060-2 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Alpha Phellandrene 0.00 - 4%

CAS number: 99-83-2 EC number: 202-792-5

Classification

Flam. Liq. 3 - H226 Asp. Tox. 1 - H304

7-methyl-3-methyleneocta-1,6-diene 0.00 - 8%

CAS number: 123-35-3 EC number: 204-622-5 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Sabinene 0.0 - 25%

CAS number: 3387-41-5 EC number: 222-212-4

Classification

Acute Tox. 4 - H302

a terpinolene		0.00 - 5%
CAS number: 586-62-9	EC number: 209-578-0	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		

p-menth-1-en-8-ol	0.00 - 3%	,
CAS number: 98-55-5	EC number: 202-680-6	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

Terpinene-1-ol-4		0.00 - 3%
CAS number: 562-74-3	EC number: 209-235-5	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317		
STOT SE 3 - H336		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention immediately.

Ingestion Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce

vomiting. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water. Continue to rinse for at least 15 minutes. Get

medical attention if symptoms are severe or persist after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse with water. Continue to rinse

for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dixoide (CO2), dry chemical or foam

Unsuitable extinguishing

media

For safety reasons do not use full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards When heated to decomposition, its emits acrid smoke as well as carbon monoxide and carbon

dioxide.

5.3. Advice for firefighters

Protective actions during

firefighting

Do not inhale explosion and/or combustion gases. Use self contained breathing apparatus.

Special protective equipment

for firefighters

Wear full protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation of

vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective

clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb with inert, non-combustible, inorganic absorbent material (e.g. sand, earth,

diatomaceous earth, vermiculite). Sweep up and remove to an approved disposal container. Do not absorb in sawdust or other combustible absorbents. For any concern related to

disposal consult section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

Revision date: 11/06/2021 Revision: 9 Supersedes date: 03/03/2021

CAMPHOR OIL WHITE

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed

when not in use. For personal protection, see Section 8.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Provide eyewash station.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

1, 8 cineole (CAS: 470-82-6)

DNEL Workers - Inhalation; Long term systemic effects: 7.05 mg/m³

Workers - Dermal; Long term systemic effects: 2 bw/day, mg/kg

General population - Inhalation; Long term systemic effects: 1.74 mg/m³ General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 mg/kg, bw/day

PNEC - Fresh water; Short term 5.7 mg/l

- Intermittent release, Fresh water; 0.57 mg/l

- marine water; Short term 5.7 mg/l

- STP; Short term 10 mg/l

Sediment (Freshwater); Short term 1.425 mg/kg
Sediment (Marinewater); Short term 0.142 mg/kg

- Soil; Short term 0.25 mg/kg

Alpha Pinene (CAS: 80-56-8)

DNEL Workers - Inhalation; Long term systemic effects: 3.8 mg/m³

Workers - Dermal; Long term systemic effects: 0.54 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.67 mg/m³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

PNEC - Fresh water; Short term 0.606 mg/l

- Fresh water, Intermittent release; 3.03 mg/l

- marine water; Short term 0.061 mg/l

- Intermittent release, marine water; 0.303 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 157 mg/kgSediment (Marinewater); Short term 15.7 mg/kg

- Soil; Short term 31.7 mg/kg

Beta Pinene (CAS: 127-91-3)

Revision date: 11/06/2021 Revision: 9 Supersedes date: 03/03/2021

CAMPHOR OIL WHITE

DNEL Workers - Inhalation; Long term systemic effects: 5.69 mg/m³

Workers - Dermal; Long term systemic effects: 0.8 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 1 mg/m³

General population - Dermal; Long term systemic effects: 0.3 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg

PNEC - Fresh water; Short term 1.004 mg/l

- Intermittent release, Fresh water; 5.02 mg/l

- marine water; Short term 0.1 mg/l

- STP; Short term 3.26 mg/l

Sediment (Freshwater); Short term 0.337 mg/kg
 Sediment (Marinewater); Short term 0.034 mg/kg

- Soil; Short term 0.067 mg/kg

7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)

DNEL Workers - Dermal; Long term systemic effects: 0.83 mg/kg

Workers - Inhalation; Long term systemic effects: 5.83 mg/m³

General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m³

PNEC - STP; 0.2 mg/l

- Soil; 1.015 mg/kg

Fresh water; 0.00028 mg/lmarine water; 0.0008 mg/l

Sediment (Freshwater); 5.022 mg/kgSediment (Marinewater); 0.502 mg/kg

a terpinolene (CAS: 586-62-9)

DNEL Workers - Inhalation; Long term systemic effects: 3.6 mg/m³

Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg

PNEC - Fresh water; Short term 0.634 mg/l

- Fresh water, Intermittent release; Short term 0.634 mg/l

- marine water; Short term 0.063 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 14.7 mg/kgSediment (Marinewater); Short term 14.7 mg/kg

- Soil; Short term 29.1 mg/kg

p-menth-1-en-8-ol (CAS: 98-55-5)

PNEC - Fresh water; Short term 68 mg/l

- marine water; Short term 6.8 mg/l

- STP; Short term 2.6 mg/l

- Sediment (Freshwater); Short term 1.85 mg/kg

- Sediment (Marinewater); Short term 0.185 mg/kg

- Soil; Short term 0.329 mg/kg

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

Provide adequate general and local exhaust ventilation.

Personal protection Use personal protection according to Directive 89/686/EEC

Eye/face protection Approved safety goggles.

Hand protection Chemical resistant gloves (PVC)

Other skin and body

protection

Wear protective clothing.

Good personal hygiene procedures should be implemented. Hygiene measures

Respiratory protection Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure

controls

Avoid discharging into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid. **Appearance**

Colour Colourless. Odour Characteristic.

Melting point REACH dossier information. <-20°C

Initial boiling point and range REACH dossier information. 155-172°C @ 1012 hPa

Flash point REACH dossier information. 46°C

Vapour pressure 200 Pa @ 25°C

Relative density 0.8700 - 0.9100 @ 20°C

Solubility(ies) Slightly soluble in water. 0.1-100 mg/L

Partition coefficient REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS

3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation

was performed from the input SMILES of Sabinene,, and Sabinene falls inside the

Applicability Domain of the model.

Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential

Bioaccumulative in a PBT context.

Auto-ignition temperature REACH dossier information. The auto ignition temperature of the test substance was

> measured according to EU A.15/DIN 51794 guideline. Three main tests were performed, the relevant parameters were recorded and results ranged between 254 and 255°c. The lowest

result, rounded down to 5°c, i.e., 250°c is retained.

9.2. Other information

Refractive index 1.4620 - 1.4720 @ 20°C

Hydrocarbon Content

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No reaction known with water.

10.2. Chemical stability

Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No information available

reactions

products

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Not known.

10.6. Hazardous decomposition products

Hazardous decomposition

Liable to cause smoke and acrid fumes during combustion: carbon monoxide, carbon dioxide

and other non identified organic compounds may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 5100 mg/kg, Oral, Rat

ATE oral (mg/kg) 4,065.04

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation May cause an allergic skin reaction.

Aspiration hazard

Aspiration hazard May be harmful if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient REACH dossier information. Partition coefficient, Log Kow, of the substance Sabinene (CAS

3387-41-5), has been calculated by the model iSafeRat® HA-QSAR toolbox v1.1. Calculation

was performed from the input SMILES of Sabinene,, and Sabinene falls inside the

Applicability Domain of the model.

Therefore, the Log Kow value of Sabinene is 4.64. Sabinene cannot be excluded as potential

Bioaccumulative in a PBT context.

12.4. Mobility in soil

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1130 UN No. (IMDG) 1130 UN No. (ICAO) 1130 UN No. (ADN) 1130

14.2. UN proper shipping name

Proper shipping name (ADR/RID)

CAMPHOR OIL

Proper shipping name (IMDG) CAMPHOR OIL Proper shipping name (ICAO) CAMPHOR OIL Proper shipping name (ADN) CAMPHOR OIL

14.3. Transport hazard class(es)

ADR/RID class

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group Ш Ш IMDG packing group ICAO packing group Ш ADN packing group Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code 3Y

Hazard Identification Number 30

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance CHIP for everyone HSG228.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision date 11/06/2021

Revision 9

Supersedes date 03/03/2021

SDS number 4758

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Product Specification

PRODUCT DETAILS			
Product Name	CAMPHOR OIL WHITE		
Product Code	OECHAM		
INCI Name	Cinnamomum camphora		
Country of Origin	China		
Tariff Number	3301 2949 00		
REACH Registration	01-2120082524-56-XXXX		
Food Grade Status	Not applicable		
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is 100% pure and natural.		
Kosher Certified	Yes		
Halal Certified	We hereby delcare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.		
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.		
Manufacturing Process	Essential oil of Cinnamomum camphora (Lauraceae) obtained from fractional distillation of the decamphorized crude camphor oil.		
Identification	CAS No: 92201-50-8 EINECS No: 295-980-1		
	Alternate CAS: 8008-51-3		
PHYSICAL AND CHEMI	CAL CHARACTERISTIC		
Appearance	Liquid		
Colour	Colourless		
Odour	Characteristic		
Melting Point	<-20°c		
Boiling Point	155-172° @ 1012 hPa		
Flash Point	46°c		
Vapour Pressure @ 25°c	200 Pa		
Relative Density @ 20°c	0.8700 - 0.9100		
Refractive Index @ 20°c	1.4620 - 1.4720		
1,8 Cineol content	35% min		
Optical Rotation	+2 to +12		
FRAGRANCE ALLERGE	NS		
Limonene (5989-27-5 / 138-8	86-3) <mark>8-36%</mark>		
FOOD ALLERGENS			
NONE PRESENT			
IFRA			
NONE PRESENT			
STORAGE AND SHELF I	LIFE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.		
Shelf Life	24 months unopened and stored as above.		
5 Elic	2. Historia di operica di la storea da disore.		

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.