

Certificate of Analysis

Product Name		SANDALWOOD OIL EAST INDIAN (santalum album)			
Product Code		OESANDEASTINDI			
INCI Name		Santalum Album			
Best Before Date		March 2026			
Batch Number		4498801			
Manufacturing Process		Obtained by steam distillation of Santalum album wood			
Identification		CAS No: 84787-70-2		EINECS No: 284-111-1	
		Alternative Cas: 8006-87-9			
PHYSICAL AND CHE	MICAL C	HARACTERISTIC			
		SPECIFICATION RANGE		RESULTS	
Appearance		Liquid		Conforms	
Colour		Clear to Pale Yellow		Conforms	
Odour		Characteristic		Conforms	
Specific Gravity @ 27°c		0.963 - 0.977		0.964	
Refractive Index @ 27°c		1.500 - 1.507		1.504	
Optical Rotation @ °c		-20 to -15		-18.3	
MAIN CONSTITUEN	ITS				
Constituent Range	Result	Constituent Range	Result	Constituent Range	Result
Santalol Alpha 40-55%	51.27%	B-santalol 16-24%%	23.72%	Santalol-beta-trans (0.01-5%	3.64%
STORAGE AND SHE	LF LIFE				
Storage		Store in tightly closed container with minimum headspace in a cool, dark and dry			
		place.			
Shelf Life		36 months unopened and stored as above.			
Company's knowledge and belief, accurate an himself as to the suitability of such information	nd reliable as of the don for his own particule to guarantee the "a	ate indicated. However, no warranty, guara lar use. Where MADAR Corporation Limite	antee or representati d make a declaration	vination with any other materials or in any process. Such in on is made to its accuracy, reliability or completeness. It is that allergenic material are not present in any product, th ty of the customer to ensure the safety of the intended fi	the users responsibility to satisfy is statement is made assuming



CMR STATEMENT

IDENTIFICATION				
Product:	SANDALWOOD OIL EAST INDIAN			
Cas No:	84787-70-2			
EINECS No:	284-111-1			
STATEMENT				


We, Madar Corporation Limited, from information received from our supplier, hereby declare that the material listed above contains the following CMR substances or traces of CMR substances (Carcinogenic, Mutagenic, Toxic for reproduction) graded 1A, 1B and 2 listed below in accordance with the 1272/2008/E Regulation:

Components	Cas No
Epi-Alpha-Bisabolol	515-69-5
Trans, Trans Farnesol	4602-84-0
Cis Alpha Santalol	115-71-9
Cis-Alpha-Trans Bergamotol	88034-74-6
Cis-Epi Beta Santalol	79081-90-6
Cis Beta Santalol	11031-45-1
Cis Lanceol	10067-28-4
Cis Nuciferol	78339-53-4

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.



Flow Diagram Sandalwood Indian Oil





SAFETY DATA SHEET SANDALWOOD OIL EAST INDIAN (santalum Album)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SANDALWOOD OIL EAST INDIAN (santalum Album)

Synonyms; trade Santalum Album

names

 Alternative Cas Number
 8006-87-9

 CAS number
 84787-70-2

 EC number
 284-111-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fragrance

1.3. Details of the supplier of the safety data sheet

Supplier Madar Corporation Limited

19 - 20 Sandleheath Indsutrial Estate

Fordingbridge SP6 1PA

Tel. +44 1425 655 555

e-mail technical@madarcorproation.co.uk

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Not Classified

Human health May cause an allergic skin reaction.

2.2. Label elements

EC number 284-111-1

SANDALWOOD OIL EAST INDIAN (santalum Album)

Hazard pictograms



Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements P261 Avoid breathing vapour/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Santalol Alpha, B-santalol, Santalol-beta-trans

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Santalol Alpha 40 - 55%

CAS number: 115-71-9 EC number: 204-102-8

Classification

Skin Sens. 1B - H317

B-santalol 16 - 24%

CAS number: 77-42-9

Classification

Skin Sens. 1B - H317

Santalol-beta-trans 0.01 - 5%

CAS number: 37172-32-0

Classification

Skin Sens. 1 - H317

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove affected person from source of contamination. Get medical attention if any discomfort

continues.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any

discomfort continues.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if any discomfort continues.

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Page 5 of 11

Revision date: 30/03/2022 Revision: 2 Supersedes date: 13/07/2020

SANDALWOOD OIL EAST INDIAN (santalum Album)

Eye contact Remove any contact lenses and open eyelids wide apart. Wash with plenty of water. Continue

to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide or dry powder. Alcohol-resistant foam.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Cool containers exposed to flames with water until well

after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid inhalation of vapours. Provide adequate ventilation.

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Cover with inert, inorganic, non-combustible material (e.g dry-lime, sand, soda ash). Place in

covered containers and dispose of in accordance with local authority guidelines. Never return spills in original containers for re-use. Wash spill site after material pick up is complete. To

prevent release, place container with damaged side up.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed

when not in use. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. Do not empty into drains. Do not eat, drink or smoke when

using this product. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

SECTION 8: Exposure controls/Personal protection

SANDALWOOD OIL EAST INDIAN (santalum Album)

8.1. Control parameters

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

Provide eyewash station Provide adequate ventilation.

Personal protection Slip proof shoes may be worn in event of spillage.

Chemical splash goggles or face shield. Eye/face protection

Hand protection Chemical resistant gloves (PVC)

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Good personal hygiene procedures should be implemented.

Respiratory protection Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure

controls

Avoid discharging into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Light (or pale). Yellow. to Amber.

Odour Characteristic.

Relative density 0.963 - 0.977 @ 27°C

9.2. Other information

Refractive index 1.500 - 1.507 @ 27°C

Optical Rotation -20 - -15

Hydrocarbon Content 4.1

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No hazardous reactions if stored and handled as prescribed / indicated.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No data available.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Revision date: 30/03/2022 Revision: 2 Supersedes date: 13/07/2020

SANDALWOOD OIL EAST INDIAN (santalum Album)

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong acids. Strong oxidising agents. Strong

alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

Liable to cause smoke and acrid fumes during combustion: carbon monoxide, carbon dioxide

and other non identified organic compounds may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin sensitisation

products

Skin sensitisation May cause an allergic skin reaction.

Carcinogenicity

Carcinogenicity Carcinogenicity in humans is not expected.

SECTION 12: Ecological information

Ecotoxicity No information available.

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of contents/container in accordance with local regulations.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

SANDALWOOD OIL EAST INDIAN (santalum Album)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

Inventories

EU - EINECS/ELINCS

Present.

Canada - DSL/NDSL

DSL

US-TSCA

Present.

Australia - AIIC

Present.

Japan - ENCS

Present.

Korea - KECI

Present.

China - IECSC

Present.

Philippines - PICCS

Present.

New Zealand - NZIOC

Present.

Taiwan - TCSI

Present.

SECTION 16: Other information

Revision date 30/03/2022

Revision 2

Supersedes date 13/07/2020

SDS number 5466

Hazard statements in full H317 May cause an allergic skin reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



Product Specification

PRODUCT DETAILS	Tanasa and a second				
Product Name	-	SANDALWOOD OIL (santalum album)			
Product Code		OESANDINDI			
Tariff Number	3301-2949-00	3301-2949-00			
Country of Origin	Various	Various			
INCI Name	Santalum Album				
Natural Status	We herevy declare, to the best of our knowledge and from information received from our				
	supplier, that this material is 100% pure and natural obtained from Santalum Album Wood.				
Food Grade Status	* *	Not Applicable			
Kosher Certified	Suitable	Suitable			
Halal Certified	Suitable	Suitable			
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product				
		does not derive from genetically modified starting raw material, or additives that are			
	· .	derived from genetically modifed organisms.			
Manufacturing Process	Steam distillation of the wood fr	Steam distillation of the wood from Santalum Album.			
Identification	CAS No: 84787-70-2	EINECS No: 284-111-1			
	Alternative CAS: 8006-87-9				
PHYSICAL AND CHEMIC	AL CHARACTERISTIC				
Appearance	Liquid	Liquid			
Colour	Light (or pale) yellow to ambe	Light (or pale) yellow to amber			
Odour	Characteristic	Characteristic			
Relative Density @ 27°c	0.963 - 0.977	0.963 - 0.977			
Refractive Index @ 27°c	1.500 - 1.507	1.500 - 1.507			
Optical Rotation °	-20 to -15				
FRAGRANCE ALLERGEN	S				
NONE PRESENT					
FOOD ALLERGENS					
NOT APPLICABLE					
IFRA					
ep-a-bisabolol (515-69-5) <2%					
STORAGE AND SHELF LI	FE				
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry				
	place.				
Shelf Life	36 months unopened and sto	36 months unopened and stored as above.			

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



Vegan and Vegetarian Statement

IDENTIFICATION			
Product:	SANDALWOOD OIL EAST INDIAN		
Cas No:	84787-70-2 / 8006-87-9		
EINECS No:	284-111-1		
STATEMENT			

We, Madar Corporation Limited, from information received from our supplier, hereby declare that the material listed above is suitable for the following:

Vegans (Excludes all animal derived products, including dairy, eggs, leather, bee products (beeswax and honey).

Lacto Vegetarians (Same as vegan but allows milk products and bee products.

Ovo Vegetarians (Same as vegan but allows egg products and bee products)

It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.

24/11/2020

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.