

# MYSTIC MOMENTS

## Certificate of Analysis


PRODUCT DETAILS				
Product Name	SANDALWOOD OIL EAST INDIAN (santalum album)			
Product Code	OESANDEASTINDI			
INCI Name	Santalum Album			
Best Before Date	June 2026			
Batch Number	4508906			
Manufacturing Process	Obtained by steam distillation of Santalum album wood			
Identification	CAS No: 84787-70-2	EINECS No: 284-111-1		
	Alternative Cas: 8006-87-9			
PHYSICAL AND CHEMICAL CHARACTERISTIC				
	SPECIFICATION RANGE	RESULTS		
Appearance	Liquid	Conforms		
Colour	Clear to Pale Yellow	Conforms		
Odour	Characteristic	Conforms		
Specific Gravity @ 27°C	0.963 - 0.977	0.967		
Refractive Index @ 27°C	1.500 - 1.507	1.504		
Optical Rotation @ °c	-20 to -15	-15.3		
MAIN CONSTITUENTS				
Constituent Range	Result	Constituent Range	Result	
Santalol Alpha 40-55%	50.85%	B-santalol 16-24%%	20.71%	
STORAGE AND SHELF LIFE				
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.			
Shelf Life	36 months unopened and stored as above.			
<p><b>DISCLAIMER:</b> This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation Limited make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.</p>				

# MYSTIC MOMENTS

## CMR STATEMENT

IDENTIFICATION	
Product:	SANDALWOOD OIL EAST INDIAN
Cas No:	84787-70-2
EINECS No:	284-111-1
STATEMENT	
<p>We, Madar Corporation Limited, from information received from our supplier, hereby declare that the material listed above contains the following CMR substances or traces of CMR substances (Carcinogenic, Mutagenic, Toxic for reproduction) graded 1A, 1B and 2 listed below in accordance with the 1272/2008/E Regulation:</p>	
Components	Cas No
Epi-Alpha-Bisabolol	515-69-5
Trans, Trans Farnesol	4602-84-0
Cis Alpha Santalol	115-71-9
Cis-Alpha-Trans Bergamotol	88034-74-6
Cis-Epi Beta Santalol	79081-90-6
Cis Beta Santalol	11031-45-1
Cis Lanceol	10067-28-4
Cis Nuciferol	78339-53-4
<p>This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.</p>	

## Flow Diagram Sandalwood Indian Oil



# MYSTIC MOMENTS

## SAFETY DATA SHEET SANDALWOOD OIL EAST INDIAN (santalum Album)

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** SANDALWOOD OIL EAST INDIAN (santalum Album)

**Synonyms; trade names** Santalum Album

names

**EU REACH registration notes** Exempt - Imports <1 tonne pa

**Alternative Cas Number** 8006-87-9

**CAS number** 84787-70-2

**EC number** 284-111-1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Fragrance

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** Madar Corporation Limited  
19 - 20 Sandleheath Industrial Estate  
Fordingbridge  
SP6 1PA  
Tel. +44 1425 655 555  
e-mail technical@madarcorporation.co.uk

#### 1.4. Emergency telephone number

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (SI 2019 No. 720)

**Physical hazards** Not Classified

**Health hazards** Skin Sens. 1 - H317

**Environmental hazards** Not Classified

**Human health** May cause an allergic skin reaction.

#### 2.2. Label elements

**EC number** 284-111-1

## SANDALWOOD OIL EAST INDIAN (santalum Album)

### Hazard pictograms



<b>Signal word</b>	Warning
<b>Hazard statements</b>	H317 May cause an allergic skin reaction.
<b>Precautionary statements</b>	P261 Avoid breathing vapour/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see medical advice on this label). P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.
<b>Contains</b>	Santalol Alpha, B-santalol, Santalol-beta-trans

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>Santalol Alpha</b>	<b>40 - 55%</b>
CAS number: 115-71-9	EC number: 204-102-8
<b>Classification</b> Skin Sens. 1B - H317	
<b>B-santalol</b>	<b>16 - 24%</b>
CAS number: 77-42-9	
<b>Classification</b> Skin Sens. 1B - H317	
<b>Santalol-beta-trans</b>	<b>0.01 - 5%</b>
CAS number: 37172-32-0	
<b>Classification</b> Skin Sens. 1 - H317	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove affected person from source of contamination. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.

## SANDALWOOD OIL EAST INDIAN (santalum Album)

**Eye contact** Remove any contact lenses and open eyelids wide apart. Wash with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** Carbon dioxide or dry powder. Alcohol-resistant foam.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** None known.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Cool containers exposed to flames with water until well after the fire is out.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin and eyes. Avoid inhalation of vapours. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Cover with inert, inorganic, non-combustible material (e.g dry-lime, sand, soda ash). Place in covered containers and dispose of in accordance with local authority guidelines. Never return spills in original containers for re-use. Wash spill site after material pick up is complete. To prevent release, place container with damaged side up.

### 6.4. Reference to other sections

**Reference to other sections** For waste disposal, see Section 13. For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapours. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid release to the environment. Do not empty into drains. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

## SECTION 8: Exposure controls/Personal protection

## SANDALWOOD OIL EAST INDIAN (santalum Album)

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



Appropriate engineering controls

Provide eyewash station Provide adequate ventilation.

Personal protection

Slip proof shoes may be worn in event of spillage.

Eye/face protection

Chemical splash goggles or face shield.

Hand protection

Chemical resistant gloves (PVC)

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Good personal hygiene procedures should be implemented.

Respiratory protection

Generally unnecessary in a well ventilated area.  
If ventilation is insufficient, respiratory protection must be worn.

Environmental exposure controls

Avoid discharging into drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Light (or pale). Yellow. to Amber.
Odour	Characteristic.
Relative density	0.963 - 0.977 @ 27°C

### 9.2. Other information

Refractive index	1.500 - 1.507 @ 27°C
Optical Rotation	-20 - -15
Hydrocarbon Content	4.1

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No hazardous reactions if stored and handled as prescribed / indicated.

### 10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No data available.

### 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

## SANDALWOOD OIL EAST INDIAN (santalum Album)

### 10.5. Incompatible materials

**Materials to avoid** Avoid contact with the following materials: Strong acids. Strong oxidising agents. Strong alkalis.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Liable to cause smoke and acrid fumes during combustion: carbon monoxide, carbon dioxide and other non identified organic compounds may be formed.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

#### Carcinogenicity

**Carcinogenicity** Carcinogenicity in humans is not expected.

## SECTION 12: Ecological information

**Ecotoxicity** No information available.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of contents/container in accordance with local regulations.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.



## SANDALWOOD OIL EAST INDIAN (santalum Album)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical safety assessment

##### Inventories

###### EU - EINECS/ELINCS

Present.

###### Canada - DSL/NDSL

DSL

###### US - TSCA

Present.

###### Australia - AIC

Present.

###### Japan - ENCS

Present.

###### Korea - KECI

Present.

###### China - IECSC

Present.

###### Philippines – PICCS

Present.

###### New Zealand - NZIOC

Present.

###### Taiwan - TCSI

Present.

### SECTION 16: Other information

<b>Revision date</b>	30/03/2022
<b>Revision</b>	2
<b>Supersedes date</b>	13/07/2020
<b>SDS number</b>	5466
<b>Hazard statements in full</b>	H317 May cause an allergic skin reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

# MYSTIC MOMENTS

## Product Specification

PRODUCT DETAILS		
Product Name	SANDALWOOD OIL (santalum album)	
Tariff Number	3301-2949-00	
Country of Origin	Various	
INCI Name	Santalum Album	
Natural Status	We hereby declare, to the best of our knowledge and from information received from our supplier, that this material is 100% pure and natural obtained from Santalum Album Wood.	
Food Grade Status	Not Applicable	
Kosher Certified	Suitable	
Halal Certified	Suitable	
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.	
Manufacturing Process	Steam distillation of the wood from Santalum Album.	
Identification	CAS No: 84787-70-2	EINECS No: 284-111-1
	Alternative CAS: 8006-87-9	
PHYSICAL AND CHEMICAL CHARACTERISTIC		
Appearance	Liquid	
Colour	Light (or pale) yellow to amber	
Odour	Characteristic	
Relative Density @ 27°C	0.963 - 0.977	
Refractive Index @ 27°C	1.500 - 1.507	
Optical Rotation °	-20 to -15	
FRAGRANCE ALLERGENS		
NONE PRESENT		
FOOD ALLERGENS		
NOT APPLICABLE		
IFRA		
ep-a-bisabolol (515-69-5) <2%		
STORAGE AND SHELF LIFE		
Storage	Store in tightly closed container with minimum headspace in a cool, dark and dry place.	
Shelf Life	24 months unopened and stored as above.	

**DISCLAIMER:** This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where we make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

# MYSTIC MOMENTS

## Vegan and Vegetarian Statement

IDENTIFICATION	
Product:	SANDALWOOD OIL EAST INDIAN
Cas No:	84787-70-2 / 8006-87-9
EINECS No:	284-111-1
STATEMENT	
<p>We, from information received from our supplier, hereby declare that the material listed above is suitable for the following:</p> <p>Vegans (Excludes all animal derived products, including dairy, eggs, leather, bee products (beeswax and honey).</p> <p>Lacto Vegetarians (Same as vegan but allows milk products and bee products.</p> <p>Ovo Vegetarians (Same as vegan but allows egg products and bee products)</p> <p>It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.</p> <p>12/05/2023</p> <p>This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.</p>	