

Certificate of Analysis

PRODUCT DETAIL	S					
Product Name		TEA TREE				
Product Code		OETEATREE				
INCI name		Melaleuca alternifolia oil				
Country of Origin		China				
Batch Number		4376811	4376811			
Best Before End		October 2022				
Manufacturing Process		Steam distillation of twigs and	branches of Melal	euca alternfolia		
Identification		CAS No: 85085-48-9		EINECS No: 285-377-1	EINECS No: 285-377-1	
		Alternative Cas: 68647-73-4		FEMA: 3902	FEMA: 3902	
PHYSICAL AND CH	IEMICAL CH	ARACTERISTIC				
		SPECIFICATION F	RANGES	RESULTS		
Appearance		Liquid		Conforms		
Colour		Colourless to pale yellow	lourless to pale yellow Conforms			
Odour		Camphoraceous Conforms				
Relative Density @ 20°c		0.8850 - 0.9060 0.8965				
Refractive Index @ 20°	с	1.4730 - 1.4820 1.4762				
Flash Point °C		56-59°c Conforms				
Optical Rotation °		+5 to +15 +5.74				
Hydrocarbon content		50% Conforms				
-		269°c Conforms				
MAIN CONSTITUE	NTS					
Constituent Range	Result	Constituent Range	Result	Constituent Range	Result	
Terpinene-1-ol-4 (>30%)	41%	p-mentha-1,4-diene (10-28%)	20.90%	Alpha Terpinen (5-13%)	10.20%	
a-terpinolene(1-5%)	2.50%	A pinene (1-6%)	4.00%	1,8 cineole (<15%)	1.60%	
p-cymene (0.5-12%)	2.90%	Limonene (0.5-4%)	2.60%	sabinene (<3.5%)	0.20%	
Aromadendrene (<7%)	2.70%	globulol (<1%)	ND	Viridiflorol (<1%)	ND	
STORAGE AND SH	ELF LIFE					
Storage		Store in tightly closed conta	iner with minim	um headspace in a cool, c	lark and	
		dry place.				

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.




SECTION 1: Identification	n of the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	TEA TREE			
Product number	OETEATREE			
Synonyms; trade names	Melaleuca alternifolia oil			
CAS number	85085-48-9			
Alternative Cas Number	68647-73-4			
EC number	285-377-1			
1.2. Relevant identified u	ses of the substance or mixture and uses advised against			
Identified uses	Topical antibacterial, antiseptic and anti inflammatory agent			
1.3. Details of the supplie	r of the safety data sheet			
Supplier	MADAR Corporation Limited 19-20 Sandleheath Industrial Estate Fordingbridge Hampshire SP6 1PA Tel. +44 1425 655555 (Opening Hours 9am - 5pm) e-mail sales@madarcorporation.co.uk			
Approved sellers 1.4. Emergency telephon	Cosmetic Butters, Mystic Moments, New Directions, World of Moulds			
	SECTION 2: Hazards identification			
0.4. Olessification of the				
2.1. Classification of the s				
Classification (EC 1272/2	substance or mixture			
	substance or mixture			
Classification (EC 1272/2	substance or mixture 2008)			
Classification (EC 1272/2 Physical hazards	substance or mixture 2008) Flam. Liq. 3 - H226			
Classification (EC 1272/2 Physical hazards Health hazards	substance or mixture 2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304			
Classification (EC 1272/2 Physical hazards Health hazards Environmental hazards	Substance or mixture 2008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic			
Classification (EC 1272/2 Physical hazards Health hazards Environmental hazards Human health	substance or mixture 9008) Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411 May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.			

Pictogram







2.3. Other hazards

P501 Dispose of contents/ container in accordance with national regulations.

P405 Store locked up.

SECTION 3: Composition/informa	tion on ingredients	
3.2. Mixtures		
Terpinene-1-ol-4		>30%
CAS number: 562-74-3	EC number: 209-235-5	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
p-mentha-1,4-diene		10-28%
CAS number: 99-85-4	EC number: 202-794-6	
Classification		
Flam. Liq. 3 - H226		
Asp. Tox. 1 - H304		
Alpha Tominopo		5-13%
Alpha Terpinene		5-13%
CAS number: 99-86-5	EC number: 202-795-1	
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		
a terpinolene		1-5%
CAS number: 586-62-9	EC number: 209-578-0	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
p-menth-1-en-8-ol		1.5-8%
CAS number: 98-55-5	EC number: 202-680-6	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		

Alpha Pinene		1-6%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
1, 8 cineole		<15%
CAS number: 470-82-6	EC number: 207-431-5	
Classification Flam. Liq. 3 - H226 Skin Sens. 1B - H317		
p-Cymene CAS number: 99-87-6	EC number: 202-796-7	0.5-12%
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304		
(S)-p-mentha-1,8-diene		0.5-4%
CAS number: 5989-54-8	EC number: 227-815-6	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Hazard Statements are Displayed in Section 16.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Individuals contaminated by chemical exposure must be taken for medical attention if any adverse effect occurs. Take a copy of the label and SDS to the health professional with contaminated individual.

Inhalation	Remove person to fresh air and keep comfortable for breathing. Do not induce vomiting. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.		
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Get medical attention immediately.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.		
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.		
4.2. Most important symptoms	and effects, both acute and delayed		
	te medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	Use as appropriate carbon dixoide (CO2), dry chemical or foam		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising fr			
Specific hazards	This product is flammable and vapours may travel some distance and flash back if ignited.		
Hazardous combustion products	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons		
5.3. Advice for firefighters			
Protective actions during firefighting	Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk, otherwise keep containers cool with carefully applied water spray/mist. If possible, prevent runoff water from entering storm drains, bodies of water or other environmentally sensitive areas.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental release	se measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Provide adequate ventilation.		
6.2. Environmental precaution	S		
Environmental precautions	Prevent run off into drains and waterways.		
6.3. Methods and material for containment and cleaning up			
Methods for cleaning up	Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. Ventilate area and wash spill area after material pick up is complete.		
6.4. Reference to other sections			
Reference to other sections	For personal protection, see Section 8.		

SECTION 7: Handling and	I storage		
7.1. Precautions for safe h	andling		
Usage precautions	Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Read label before use. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Provide adequate general and local exhaust ventilation. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.		
7.2. Conditions for safe sto	orage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from sunlight. Ground container and receiving equipment, use only non sparking tools and use explosion proof electrical equipment.		
7.3. Specific end use(s)			
SECTION 8: Exposure Co	ntrols/personal protection		
8.1. Control parameters			
	a terpinolene (CAS: 586-62-9)		
DNEL	Workers - Inhalation; Long term systemic effects: 3.6 mg/m ³ Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg		
PNEC	 Fresh water; Short term 0.634 mg/l Intermittent release, Fresh water; Short term 0.634 mg/l Marine water; Short term 0.063 mg/l STP; Short term 0.2 mg/l Sediment (Freshwater); Short term 14.7 mg/kg Sediment (Marinewater); Short term 14.7 mg/kg Soil; Short term 29.1 mg/kg 		
	p-menth-1-en-8-ol (CAS: 98-55-5)		
PNEC	 Fresh water; Short term 68 mg/l Marine water; Short term 6.8 mg/l STP; Short term 2.6 mg/l Sediment (Freshwater); Short term 1.85 mg/kg Sediment (Marinewater); Short term 0.185 mg/kg Soil; Short term 0.329 mg/kg 		
	Alpha Pinene (CAS: 80-56-8)		
DNEL	Workers - Inhalation; Long term systemic effects: 3.8 mg/m ³ Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 0.67 mg/m ³ General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day		

PNEC	 Fresh water; Short term 0.606 mg/l Fresh water, Intermittent release; 3.03 mg/l Marine water; Short term 0.061 mg/l Intermittent release, Marine water; 0.303 mg/l STP; Short term 0.2 mg/l Sediment (Freshwater); Short term 157 mg/kg Sediment (Marinewater); Short term 15.7 mg/kg Soil; Short term 31.7 mg/kg
	1, 8 cineole (CAS: 470-82-6)
DNEL	Workers - Inhalation; Long term systemic effects: 7.05 mg/m ³ Workers - Dermal; Long term systemic effects: 2 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1.74 mg/m ³ General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 bw/day, mg/kg
PNEC	 Fresh water; Short term 5.7 mg/l Intermittent release, Fresh water; 0.57 mg/l Marine water; Short term 5.7 mg/l STP; Short term 10 mg/l Sediment (Freshwater); Short term 1.425 mg/kg Sediment (Marinewater); Short term 0.142 mg/kg Soil; Short term 0.25 mg/kg

8.2. Exposure controls

Protective equipment





In case of insufficient ventilation, wear suitable respiratory equipment. Provide eyewash station
General protective and hygienic measures: Use personal protective equipment depending on concentration and amount of hazardous substance. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin.
Approved safety goggles.
Chemical resistant gloves (PVC)
Wear apron or protective clothing in case of contact.
Good personal hygiene procedures should be implemented.
Generally unnecessary in a well ventilated area. If ventilation is insufficient, respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Colourless to pale yellow.	
Odour	Camphoraceous BiOrigins, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk	

Revision date: 07/08/2017

Revision: 1

Initial boiling point and range	97-220°C
Flash point	56-59°C PMCC (Pensky-Martens closed cup).
Relative density	0.8850 - 0.9060 @ 20°C
Auto-ignition temperature	269°C
Viscosity	2.86 m²/s @ 20°C 1.71 m²/s @ 40°C
9.2. Other information	
Refractive index	1.4730 - 1.4820 @ 20°C
Optical Rotation	+5 to +15°c
Hydrocarbon Content	50%
SECTION 10: Stability and rea	ictivity
10.1. Reactivity	
Reactivity	None known.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
10.4. Conditions to avoid	
Conditions to avoid	Keep away from heat, sparks and open flame.
10.5. Incompatible materials	
Materials to avoid	Strong oxidising agents. Strong reducing agents.
10.6. Hazardous decompositio	
10.6. Hazardous decomposition Hazardous decomposition products	n products Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons
Hazardous decomposition	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons
Hazardous decomposition products	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons
Hazardous decomposition products SECTION 11: Toxicological int	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LD ₅₀ 1900 mg/kg, Oral, Rat
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Serious eye damage/irritation	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LD₅₀ 1900 mg/kg, Oral, Rat LD₅₀ >5000 mg/kg, Dermal, Rabbit
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Serious eye damage/irritation Serious eye damage/irritation	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LD₅₀ 1900 mg/kg, Oral, Rat LD₅₀ >5000 mg/kg, Dermal, Rabbit
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LD ₅₀ 1900 mg/kg, Oral, Rat LD ₅₀ >5000 mg/kg, Dermal, Rabbit Mild irritant. May cause redness, irritation or oedema. Potential irritant. Over exposure at high levels may result in mucous membrane irritation of
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Skin sensitisation	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LDso 1900 mg/kg, Oral, Rat LDso >5000 mg/kg, Dermal, Rabbit Mild irritant. May cause redness, irritation or oedema. Potential irritant. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with coughing. Potential irritant. May cause erythema, irritation or oedema if oil is oxidised. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
Hazardous decomposition products SECTION 11: Toxicological int 11.1. Information on toxicologi Acute toxicity - oral Notes (oral LDso) Acute toxicity - dermal Notes (dermal LDso) Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation Skin sensitisation Skin sensitisation Skin sensitisation Carcinogenicity Carcinogenicity	Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons formation cal effects LD ₅₀ 1900 mg/kg, Oral, Rat LD ₅₀ >5000 mg/kg, Dermal, Rabbit Mild irritant. May cause redness, irritation or oedema. Potential irritant. Over exposure at high levels may result in mucous membrane irritation of the nose and throat with coughing. Potential irritant. May cause erythema, irritation or oedema if oil is oxidised. Repeated or

Aspiration hazard Aspiration hazard	May be harmful if swallowed. May result in allergic dermatitis, hallucination, ataxia, diarrhoea, central nervous system depression, sleep or coma.		
SECTION 12: Ecological Information			
Ecotoxicity	Toxic to aquatic life with long lasting effects.		
12.1. Toxicity			
12.2. Persistence and degrada	ability		
Persistence and degradability	The product is readily biodegradable.		
12.3. Bioaccumulative potentia			
12.4. Mobility in soil			
12.5. Results of PBT and vPvI 12.6. Other adverse effects	3 assessment		
SECTION 13: Disposal consid	erations		
13.1. Waste treatment method			
Disposal methods	Dispose of contents/container in accordance with local regulations.		
SECTION 14: Transport inform	nation		
14.1. UN number			
UN No. (ADR/RID)	1169		
UN No. (IMDG)	1169		
UN No. (ICAO)	1169		
UN No. (ADN)	1169		
14.2. UN proper shipping nam	e		
Proper shipping name (ADR/RID)	– EXTRACTS, AROMATIC, LIQUID		
Proper shipping name (IMDG)	EXTRACTS, AROMATIC, LIQUID		
Proper shipping name (ICAO)	EXTRACTS, AROMATIC, LIQUID		
Proper shipping name (ADN)	EXTRACTS, AROMATIC, LIQUID		
14.3. Transport hazard class(e	98)		
ADR/RID class	3		
ADR/RID classification code	F1		
ADR/RID label	3		
IMDG class	3		
ICAO class/division	3		
ADN class	3		
Transport labels			



14.4. Packing group

ADR/RID packing group	Ш
IMDG packing group	III
ICAO packing group	III
ADN packing group	Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

EmS	F-E, S-D
ADR transport category	3
Emergency Action Code	3Y
Hazard Identification Number (ADR/RID)	30
Tunnel restriction code	(D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16	
	December 2008 on classification, labelling and packaging of substances and mixtures (as	
	amended).	

Guidance	CHIP for everyone HSG228.
----------	---------------------------

15.2. Chemical safety assessment		
SECTION 16: Other information		
Revision date	07/08/2017	
Revision	1	
SDS number	5008	
Hazard statements in full	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. 	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

bí	rigins
----	--------

Product Specification

PRODUCT DETAILS			
Product Name	TEA TREE		
Product Code	OETEATREE		
Tariff Number	33012941		
INCI name	Melaleuca alternifolia oil		
Natural Status	We hereby declare, to the best of our knowledge and from information received from our		
	supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.		
Kosher Certified	Yes		
Halal Certified	We hereby delcare, from information received from our supplier, that this product does not		t
	contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.		
GMO Declaration	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.		
Manufacturing Process	Steam distillation of twigs and brand	Steam distillation of twigs and branches of Melaleuca alternfolia	
Identification	CAS No: 85085-48-9	EINECS No: 285-377-1	
	Alternative Cas: 68647-73-4	FEMA: 3902	
PHYSICAL AND CHEMICAL	CHARACTERISTIC		
Appearance	Liquid		
Colour	Colourless to pale yellow		
Odour	Camphoraceous		
Relative Density @ 20°c	0.8850 - 0.9060	0.8850 - 0.9060	
Refractive Index @ 20°c	1.4730 - 1.4820	1.4730 - 1.4820	
Flash Point °C	56-59°c	56-59°c	
Optical Rotation °	+5 to +15	+5 to +15	
Hydrocarbon content	50%		
Auto Ignition Temperature	269°c	269°c	
FRAGRANCE ALLERGENS			
Limonene (5989-54-8)	Linalool (78-70-6) <1%		
FOOD ALLERGENS			
NONE PRESENT			
IFRA			
NONE PRESENT			
STORAGE AND SHELF LIFE			
Storage	Store in tightly closed container	ith minimum headspace in a cool, dark and dry pla	ace.
DISCI AIMED. This information relates only to the specific mate	wiel designated and may not be valid for such material used in som	ination with any other materials or in any process. Such information is to the best of the C	<u> </u>

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

Issue No: 1



Vegan Statement

IDENTIFICATION		
Product:	Tea Tree	
Cas No:	85085-48-9	
EINECS No:	285-377-1	
		STATEMENT
We, MADAR Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan diet. It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.		
10 th January 2019		
does not release th		knowledge and from information received from our supplier. It on to carry out an examination of the goods received. All uses n responsibility.