


# **Certificate of Analysis**

PRODUCT DETAILS							
Product Name		TEA TREE					
Product Code		OETEATREE					
INCI name		Melaleuca alternifolia oil					
Country of Origin		China					
Batch Number		4392110					
Best Before End		March 2023					
Manufacturing Process		Steam distillation of twigs and branches of Melaleuca alternfolia					
Identification		CAS No: 85085-48-9		EINECS No: 285-377-1			
		Alternative Cas: 68647-73-4		FEMA: 3902			
PHYSICAL AND CH	EMICAL CHA	RACTERISTIC					
			SPECIFICATION RANGES		RESULTS		
Appearance		Liquid		Conforms			
Colour		Colourless to pale yellow		Conforms			
Odour		Camphoraceous		Conforms			
Relative Density @ 20°c		0.8850 - 0.9060		0.8967			
Refractive Index @ 20°c		1.4730 - 1.4820		1.476			
Flash Point °C		56-59°c		Conforms			
Optical Rotation °		+5 to +15		5.6			
MAIN CONSTITUENTS							
Constituent Range	Result	Constituent Range	Result	Constituent Range	Result		
Terpinene-1-ol-4 (>30%)	41.50%	p-mentha-1,4-diene (10-28%)	20.90%	Alpha Terpinen (5-13%)	9.90%		
a-terpinolene(1-5%)	2.60%	p-menth-1-en-8-ol (1.5-8%)	5.50%	A pinene (1-6%)	3.60%		
1,8 cineole (<15%)	2.30%	p-cymene (0.5-12%)	2.70%	Limonene (0.5-4%)	2.70%		
sabinene (<3.5%)	0.30%	Aromadendrene (<7%)	1.70%	Cadinene (<3%)	ND		
globulol (<1%)	'ND	Viridiflorol (<1%)	'ND	1			
STORAGE AND SHELF LIFE							
		Store in tightly closed container with minimum headspace in a cool, dark and dry place.					
Shelf Life		24 months unopened and stored as above.					
DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of th					the best of the		

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.



# TEA TREE OIL CHINESE FLOW CHART





# SAFETY DATA SHEET **TEA TREE**

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**TEA TREE** Product name

**OETEATREE** Product number

Melaleuca alternifolia oil Synonyms; trade names

85085-48-9 CAS number

68647-73-4 **Alternative Cas Number** 

EC number 285-377-1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Topical antibacterial, antiseptic and anti inflammatory agent

# 1.3. Details of the supplier of the safety data sheet

Supplier

MADAR Corporation Limited

19-20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA

Tel. +44 1425 655555 (Opening Hours 9am - 5pm)

e-mail sales@madarcorporation.co.uk

Approved sellers Cosmetic Butters, Mystic Moments, New Directions, World of Moulds

#### 1.4. Emergency telephone number

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 2 - H411

Human health May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic

skin reaction. Causes serious eye irritation.

**Environmental** Toxic to aquatic life with long lasting effects.

Flammable liquid and vapour. **Physicochemical** 

2.2. Label elements

**EC** number 285-377-1 BiOrigins, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Page 3 of 14

# **TEA TREE**

#### **Pictogram**









#### Signal word

#### Danger

#### Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P262 Do not get in eyes, on skin, or on clothing.

#### Contains

p-mentha-1,4-diene, Alpha Terpinene, a terpinolene, Alpha Pinene, 1, 8 cineole, p-Cymene,

(S)-p-mentha-1,8-diene

# Supplementary precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

# **TEA TREE**

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Terpinene-1-ol-4 >30%

CAS number: 562-74-3 EC number: 209-235-5

Classification

Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

p-mentha-1,4-diene 10-28%

CAS number: 99-85-4 EC number: 202-794-6

Classification

Flam. Liq. 3 - H226 Asp. Tox. 1 - H304

Alpha Terpinene 5-13%

CAS number: 99-86-5 EC number: 202-795-1

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411

a terpinolene 1-5%

CAS number: 586-62-9 EC number: 209-578-0 M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

p-menth-1-en-8-ol 1.5-8%

CAS number: 98-55-5 EC number: 202-680-6

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

# **TEA TREE**

Alpha Pinene

CAS number: 80-56-8

EC number: 201-291-9

M factor (Acute) = 1

M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Skin Sens. 1 - H317

Asp. Tox. 1 - H304

Aquatic Acute 1 - H400

1, 8 cineole <15%

CAS number: 470-82-6 EC number: 207-431-5

#### Classification

Flam. Liq. 3 - H226 Skin Sens. 1B - H317

Aquatic Chronic 1 - H410

p-Cymene 0.5-12%

CAS number: 99-87-6 EC number: 202-796-7

#### Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304

(S)-p-mentha-1,8-diene 0.5-4%

CAS number: 5989-54-8 EC number: 227-815-6

M factor (Acute) = 1 M factor (Chronic) = 1

# Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# General information

Individuals contaminated by chemical exposure must be taken for medical attention if any adverse effect occurs. Take a copy of the label and SDS to the health professional with contaminated individual.

# **TEA TREE**

**Inhalation** Remove person to fresh air and keep comfortable for breathing. Do not induce vomiting.

When breathing is difficult, properly trained personnel may assist affected person by

administering oxygen. Get medical attention if any discomfort continues.

**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to

an unconscious person. Get medical attention immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention if any discomfort continues.

# 4.2. Most important symptoms and effects, both acute and delayed

# 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Use as appropriate carbon dixoide (CO2), dry chemical or foam

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards This product is flammable and vapours may travel some distance and flash back if ignited.

Hazardous combustion

products

Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk, otherwise keep containers cool with carefully applied water spray/mist. If possible, prevent runoff water from entering storm drains, bodies of water

or other environmentally sensitive areas.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin,

eyes and clothing. Provide adequate ventilation.

# 6.2. Environmental precautions

**Environmental precautions** Prevent run off into drains and waterways.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Contain and absorb spillage with sand, earth or other non-combustible material. Collect and

place in suitable waste disposal containers and seal securely. Ventilate area and wash spill

area after material pick up is complete.

# 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8.

# **TEA TREE**

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions

Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed when not in use. Read label before use. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Provide adequate general and local exhaust ventilation. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from sunlight. Ground container and receiving equipment, use only non sparking tools and use explosion proof electrical equipment.

#### 7.3. Specific end use(s)

#### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

# a terpinolene (CAS: 586-62-9)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.6 mg/m³

Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg

**PNEC** 

- Fresh water; Short term 0.634 mg/l
- Intermittent release, Fresh water; Short term 0.634 mg/l
- Marine water; Short term 0.063 mg/l
- STP; Short term 0.2 mg/l
- Sediment (Freshwater); Short term 14.7 mg/kgSediment (Marinewater); Short term 14.7 mg/kg
- Soil; Short term 29.1 mg/kg

# p-menth-1-en-8-ol (CAS: 98-55-5)

**PNEC** 

- Fresh water; Short term 68 mg/lMarine water; Short term 6.8 mg/l
- STP; Short term 2.6 mg/l
- Sediment (Freshwater); Short term 1.85 mg/kgSediment (Marinewater); Short term 0.185 mg/kg
- Soil; Short term 0.329 mg/kg

# Alpha Pinene (CAS: 80-56-8)

**DNEL** 

Workers - Inhalation; Long term systemic effects: 3.8 mg/m³
Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day
General population - Inhalation; Long term systemic effects: 0.67 mg/m³
General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day
General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

# **TEA TREE**

PNEC - Fresh water; Short term 0.606 mg/l

Fresh water, Intermittent release; 3.03 mg/l
Marine water; Short term 0.061 mg/l

- Intermittent release, Marine water; 0.303 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 157 mg/kgSediment (Marinewater); Short term 15.7 mg/kg

- Soil; Short term 31.7 mg/kg

#### 1, 8 cineole (CAS: 470-82-6)

**DNEL** Workers - Inhalation; Long term systemic effects: 7.05 mg/m³

Workers - Dermal; Long term systemic effects: 2 mg/kg, bw/day

General population - Inhalation; Long term systemic effects: 1.74 mg/m³ General population - Dermal; Long term systemic effects: 1 bw/day, mg/kg General population - Oral; Long term systemic effects: 600 bw/day, mg/kg

PNEC - Fresh water; Short term 5.7 mg/l

- Intermittent release, Fresh water; 0.57 mg/l

- Marine water; Short term 5.7 mg/l

- STP; Short term 10 mg/l

Sediment (Freshwater); Short term 1.425 mg/kgSediment (Marinewater); Short term 0.142 mg/kg

- Soil; Short term 0.25 mg/kg

#### 8.2. Exposure controls

# Protective equipment







Appropriate engineering

controls

In case of insufficient ventilation, wear suitable respiratory equipment. Provide eyewash station

Personal protection General protective and hygienic measures: Use personal protective equipment depending on

concentration and amount of hazardous substance. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before

breaks and at the end of work. Avoid contact with eyes and skin.

**Eye/face protection** Approved safety goggles.

Hand protection Chemical resistant gloves (PVC)

Other skin and body

protection

Wear apron or protective clothing in case of contact.

**Hygiene measures** Good personal hygiene procedures should be implemented.

**Respiratory protection** Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colourless to pale yellow.

Odour Camphoraceous

BiOrigins, 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk

#### **TEA TREE**

Initial boiling point and range 97-220°C

Flash point 56-59°C PMCC (Pensky-Martens closed cup).

0.8850 - 0.9060 @ 20°C Relative density

**Auto-ignition temperature** 269°C

Viscosity 2.86 m²/s @ 20°C 1.71 m²/s @ 40°C

9.2. Other information

Refractive index 1.4730 - 1.4820 @ 20°C

**Optical Rotation** +5 to +15°c

**Hydrocarbon Content** 50%

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

None known. Reactivity

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong reducing agents.

#### 10.6. Hazardous decomposition products

Hazardous decomposition

products

Carbon dioxide (CO2). Carbon monoxide (CO). Hydrocarbons

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) LD<sub>50</sub> 1900 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >5000 mg/kg, Dermal, Rabbit

Serious eye damage/irritation

Serious eye damage/irritation Mild irritant. May cause redness, irritation or oedema.

Respiratory sensitisation

Respiratory sensitisation Potential irritant. Over exposure at high levels may result in mucous membrane irritation of

the nose and throat with coughing.

Skin sensitisation

Skin sensitisation Potential irritant. May cause erythema, irritation or oedema if oil is oxidised. Repeated or

prolonged skin contact may lead to allergic contact dermatitis.

Carcinogenicity

Carcinogenicity Carcinogenicity in humans is not expected.

# **TEA TREE**

#### Aspiration hazard

Aspiration hazard May be harmful if swallowed. May result in allergic dermatitis, hallucination, ataxia, diarrhoea,

central nervous system depression, sleep or coma.

#### SECTION 12: Ecological Information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

**Disposal methods** Dispose of contents/container in accordance with local regulations.

#### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID) 1169
UN No. (IMDG) 1169
UN No. (ICAO) 1169
UN No. (ADN) 1169

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

EXTRACTS, AROMATIC, LIQUID

 $\textbf{Proper shipping name (IMDG)} \ \ \mathsf{EXTRACTS}, \ \mathsf{AROMATIC}, \ \mathsf{LIQUID}$ 

Proper shipping name (ICAO) EXTRACTS, AROMATIC, LIQUID

Proper shipping name (ADN) EXTRACTS, AROMATIC, LIQUID

# 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

# Transport labels



# **TEA TREE**

# 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ICAO packing group

ADN packing group

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

**EmS** F-E, S-D

ADR transport category 3

Emergency Action Code 3Y

**Hazard Identification Number** 

(ADR/RID)

Tunnel restriction code (D/E)

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

30

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance CHIP for everyone HSG228.

#### 15.2. Chemical safety assessment

#### **SECTION 16: Other information**

Revision date 07/08/2017

Revision 1

SDS number 5008

Hazard statements in full H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



# **Product Specification**

PRODUCT DETAILS Product Name	TEA TREE			
Product Code Tariff Number		OETEATREE		
		33012941		
INCI name		Melaleuca alternifolia oil		
Natural Status	supplier, that this product is in acco	We hereby declare, to the best of our knowledge and from information received from our supplier, that this product is in accordance to the requirements of Articles 3 (2) (d) of Regulation (EC) 1334/2008 and therefore can be designated as natural.		
Kosher Certified	Yes	Yes		
Halal Certified	contain any ingredient derived from animal extracts, blood of any origin	We hereby delcare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.		
GMO Declaration	does not derive from genetically mo	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modified organisms.		
Manufacturing Process	Steam distillation of twigs and bran	Steam distillation of twigs and branches of Melaleuca alternfolia		
Identification	CAS No: 85085-48-9	EINECS No: 285-377-1		
	Alternative Cas: 68647-73-4	FEMA: 3902		
PHYSICAL AND CHEMICA	L CHARACTERISTIC			
Appearance	Liquid			
Colour	Colourless to pale yellow	·		
Odour	Camphoraceous	· ·		
Relative Density @ 20°c	0.8850 - 0.9060			
Refractive Index @ 20°c	1.4730 - 1.4820	1.4730 - 1.4820		
Flash Point °C	56-59°c			
Optical Rotation °	+5 to +15	+5 to +15		
Hydrocarbon content	50%	50%		
Auto Ignition Temperature	269°c			
<b>FRAGRANCE ALLERGENS</b>				
Limonene (5989-54-8) <b>0.5-4%</b>	Linalool (78-70-6) <1%			
FOOD ALLERGENS				
NONE PRESENT				
IFRA				
NONE PRESENT				
STORAGE AND SHELF LIF	E			
Storage	Store in tightly closed container	Store in tightly closed container with minimum headspace in a cool, dark and dry place.		

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

Issue No: 1 08/08/2017

# **Vegan Statement**

IDENTIFICATION					
Product:	Tea Tree				
Cas No:	85085-48-9				
EINECS No:	285-377-1				
STATEMENT					

We, MADAR Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan diet.

It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.

# 10th January 2019

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.