## Certificate of Analysis Valerian Root

### Batch Number: 4553405 Expiry Date: August 2027

BOTANICAL NAME	: VALARIAN WALLICHI	
SOURCE	: BY THE STEAM DISTILLATION FROM T OF VALARIAN WALLICHI.	HE RHIZOMES
APPEARANCE	: YELLOW TO DARK BROWN LIQUID	
ODOUR	: ANTIDOT TO SNAKE-VENOM OR SCORI	PION VENOM <u>RESULTS</u>
REF. INDEX	: 1.483 TO 1.510 AT 25°C	Conforms
SP. GRAVITY AT 25°/25°C	: 0.930 TO 0.960	Conforms
OPT. ROTATION	: -30° TO -50°	Conforms
MAIN CONSTITUENTS	: VALARENIC ACID, VALARENONE	
ACID VALUE	: 25 TO 40	Conforms
USES	: FLAVOUR AND FRAGRANCE INDUSTR PERFUMERY COMPOUND, SOAPS.CAN	•

## DECLARATION OF ALLERGENS PRODUCT VALERIAN ROOT OIL

MATERIAL	CAS NUMBER	TOTAL ALLERGEN INCLUSION
AMYL CINNAMAL	122-40-7	-
BENZYL ALCOHOL	100-51-6	-
CINNAMYL ALCOHOL	104-51-6	-
CITRAL	5392-40-5	-
EUGENOL	97-53-0	-
HYDROXYCITRONELLAL	107-75-5	-
ISO EUGENOL	97-54-1	-
AMYL CINNAMYL ALCOHOL	101-85-9	-
BENZYL SALICYLATE	118-58-1	-
CINNAMAL	104-55-2	-
COUMARIN	91-64-5	-
GERANIOL	106-24-1	-
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	-
ANISE ALCOHOL	105-13-5	-
BENZYL CINNAMATE	103-41-3	-
FARNESOL	4602-84-0	-
BUTYLPHENYL METHYLPROPIONAL	80-54-6	-
LINALOOL	78-70-6	-
BENZYL BENZOATE	120-51-4	-
CITRONELLOL	106-22-9	-
HEXYL CINNAMAL	101-86-0	-
LIMONENE	5989-27-5	2
METHYL 2-OCTYNOATE	111-12-6	-
ALPHA-ISOMETHYL IONONE	127-51-5	•
EVERNIA PRUNASTRI EXTRACT	90028-68-5	-
EVERNIA FURFURACEA EXTRACT	90028-67-4	-
		2

## 01.08.2019 BREIF MANUFACTURING PROGRESS FLOW CHART Valerian Root Essential Oils

- harvesting Roots  $\rightarrow$
- Collecting of Roots  $\rightarrow$
- Drying the Roots in sun light  $\rightarrow$
- Crushing the Roots →
   Filling of Roots in Vessel →
- Steam distillation process start  $\rightarrow$
- Collection of oil from separator Tank  $\rightarrow$
- Filtration of oil and dirty part. →
   Storage of Oils in drums →
- Testing of lot sample for quality  $\rightarrow$
- Send to warehouse for sale .

01.08.2019

## TO WHOM IT MAY CONCERN CUSTOMS TARRIF NO. : 3301.29.00.00 COUNTRY OF ORIGIN : INDIA

## PRODUCT:-

1. Valeriana Faurieri Valerian Root Essential Oil 100% P&N–Bulk

We certify that no alcohol or animal derivatives were used during manufacturing process.

We further certify that it does not contain any chemical, pesticides or alcohol and it is GMO free product.

We confirm that material did not undergo irradiation during any stage of the manufacturing process.

This is also confirm that the above oil is suitable for Vegans.

Product Name	VALARIAN ES	SENTIAL OIL	
INCI Name	VALARIAN WALLI	СНІ	
Revision No	01	Date	21.02.2020

We certify that the above compound is in compliance with the standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA 48<sup>TH</sup> Amendment), provided it is used in the following class(es) at a maximum concentration level of :

IFRA Class(es) (See Annex for Details)	Max Level of Use (%)
Class 1(*)	No Limit(*)
Class 2	No Limit
Class 3A	No Limit
Class 3B	No Limit
Class 3C	No Limit
Class 3D	No Limit
Class 4A	No Limit
Class 4B	No Limit
Class 4C	No Limit
Class 4D	No Limit
Class 5	No Limit
Class 6(*)	No Limit(*)
Class 7A	No Limit
Class 7B	No Limit
Class 8A	No Limit
Class 8B	No Limit
Class 9A	No Limit
Class 9B	No Limit
Class 9C	No Limit
Class 10A	No Limit
Class 10B	No Limit
Class 11	No Limit

(\*) IFRA would recommend that any material used to impart perfume or flavour in products intended for human ingestion should consist of ingredients that are in compliance with appropriate regulations for foods and food flavourings.

For other kinds of application or use at higher concentration levels, a new safety evaluation may be needed.



### SAFETY DATA SHEET

### VALERIAN ESSENTIAL OIL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product name	: VALERIAN ESSENTIAL OIL
Product number	: OEVALE
CAS number	: 97927-02-1

Ec no.

: 308-322-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Concentrated material for manufacturing purposes only.

1.3. Details of the supplier of the safety data sheet

Supplier

MADAR CORPORATION LIMITED 19-20 SANDLEHEATH INDUSTRIAL ESTATE FORDINGBRIDGE HAMPSHIRE SP6 1PA

#### 1.4. Emergency telephone number

Emergency telephone + 1425 655555 Office Hours are 09:00 -17:00 weekdays only

### SECTION 2: Hazards identification

2.1.	Classification	of	the	substance	or	mixture	

Classification	:(EC 1272/2008)
Physical hazards	:Not Classified
Health hazards	:Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
Environmental hazards	:Aquatic Chronic 3 - H412
2.2. Label elements	
Pictogram	

Signal word

: Danger

Hazard statements	H304 May be fatal if swallowed and enters airways.	
	H315 Causes skin irritation.	
	H317 May cause an allergic skin reaction.	
	H319 Causes serious eye irritation.	
	H412 Harmful to aquatic life with long lasting effects.	
Precautionary statements	P273 Avoid release to the environment.	
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.	
	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
	P302+P352 IF ON SKIN: Wash with plenty of water.	
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
	P331 Do NOT induce vomiting.	
Contains	: VALARENIC ACID, VALARENONE	
Supplementary precautionary	: P261 Avoid breathing vapour/ spray	
Statements	P264 Wash contaminated skin thoroughly after handling.	
	P272 Contaminated work clothing should not be allowed out of the workplace.	
	P321 Specific treatment (see medical advice on this label).	
	P332+P313 If skin irritation occurs: Get medical advice/ attention.	
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.	
	P337+P313 If eye irritation persists: Get medical advice/ attention.	
	P362+P364 Take off contaminated clothing and wash it before reuse.	
	P405 Store locked up.	
	P501 Dispose of contents/ container in accordance with national regulations.	
2.3. Other hazards		
SECTION 3	: Composition/information on ingredients	
3.2. Mixtures		
15.0 - 32.0% CAMPHENE CAS	S: 79-92-5, EC: 201-234-8	
( , , ,	Eye Irrit. 2, H319, Aquatic Acute 1, H400, M Acute = 1, Aquatic Chronic 1,	
H410 M Chronic = 1		
	AS-No.: 80-56-8 EC No.: 201-291-9 008) Asp. Tox. 1, H304, Flam. Liq. 3, H226, Skin Irrit. 2, H315, Skin Sens. 1,	
H317	(00) ASD. 10X. 1, 1504, Flath. Eq. 5, 1220, 5kill littl. 2, 1515, 5kill Selis. 1,	
<b>3.0 – 5.0% Beta-Pinene</b> CAS: 127-91-3, EC: 204-872-5		
Classification (EC 1272/20	08) Asp. Tox. 1, H304, Flam. Liq. 3, H226, Skin Irrit. 2, H315, Skin Sens. 1, H317	
1.5 – 3.0% Limonene CAS	-No.: 5989-27-5 EC No.: 227-813-5	
CAS number: 138-86-3 EC n	umber: 205-341-0	
M factor (Acute) = 1 M factor	(Chronic) = 1	
Classification		
	t. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304	
Aquatic Acute 1 - H400 Aqu	atic Chronic 1 - H410	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation	:Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

General information	:Persons suffering from asthma, eczema or skin problems should avoid contact, including
	dermal contact, with this product. See Section 11 for additional information on health hazards.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor :No specific recommendations.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media	
Suitable extinguishing media	:Extinguish with the following media: Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	:Water.

5.2. Special hazards arising from the substance or mixture			
Specific hazards	:Toxic gases or vapours.		
5.3. Advice for firefighters			
Protective actions during			
Firefighting	:Containers close to fire should be removed or cooled with water.		
Special protective equipment			
for firefighters	:Wear positive-pressure self-contained breathing apparatus (SCBA) and		
-	appropriate protective clothing.		

#### SECTION 6: Accidental release measures

SECTION 6. Accidental release m	easures					
6.1. Personal precautions, protecti	ve equipment and emergency procedures					
Personal precautions	:Wear suitable protective equipment, including gloves, goggles/face shield, respirator,					
	boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of					
	ignition near spillage.					
6.2. Environmental precautions						
Environmental precautions	:Do not discharge into drains or watercourses or onto the ground.					
6.3. Methods and material for containment and cleaning up						
Methods for cleaning up	:Keep combustible materials away from spillage. Eliminate all sources of ignition.					
	Provide adequate ventilation. Contain and absorb spillage with sand, earth or other					
	non-combustible material. The contaminated absorbent may pose the same hazard as the					
	spilled material.Collect and place in suitable waste disposal containers and seal securely.					
	Label the containers containing waste and contaminated materials and remove from the area					
	as soon as possible. Wash thoroughly after dealing with a spillage.					
6.4. Reference to other sections						
SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Usage precautions	:Wear protective clothing as described in Section 8 of this safety data sheet.					
	Avoid contact with skin, eyes and clothing.					
Advice on general	: Do not eat, drink or smoke when using this product. Wash at the end of each work shift and					
occupational hygiene	_:before eating, smoking and using the toilet.					
7.2. Conditions for safe storage, in	cluding any incompatibilities					
Storage precautions	: Store in tightly-closed, original container in a dry, cool and well-ventilated place.					
	Keep awayfrom heat, sparks and open flame. Protect from freezing and direct sunlight.					
7.3. Specific end use(s)						
SECTION 8: Exposure Controls/pe	ersonal protection					
8.1. Control parameters						
Ingredient comments	:No exposure limits known for ingredient(s).					
8.2. Exposure controls						
Protective equipment						
Appropriate engineering controls	Provide adequate ventilation.					
Eye/face protection	:Eyewear complying with an approved standard should be worn if a risk assessment					
	Indicates eye contact is possible. The following protection should be worn:					
	Chemical splash goggles or face shield.					
Hand protection	:Chemical-resistant, impervious gloves complying with an approved standard should be					
	worn if a risk assessment indicates skin contact is possible.					
Other skin and body protection	:Wear appropriate clothing to prevent any possibility of skin contact.					
	Wear apron or protective clothing in case of contact.					
	idleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK el: 01425 655555 Email: technical@madarcorporation.co.uk					

Tel: 01425 655555 Email: technical@madarcorporation.co.uk Page 9 of 13

Hygiene measures	:No specific hygiene procedures recommended but good personal hygiene practices					
	Should always be observed when working with chemical products.					
Respiratory protection	:No specific recommendations. Respiratory protection may be required if excessive					
	Airborne contamination occurs.					
Environmental expensive controls						
Environmental exposure controls	:Residues and empty containers should be taken care of as hazardous waste according					
CECTION OF Developed on a chamic	To local and national provisions.					
SECTION 9: Physical and Chemic						
9.1. Information on basic physical and chemical properties						
Appearance	:Liquid.					
Colour	:Yellow to Dark brown .					
Odour	: Antidot to snake-venom or Scorpion Venom					
Elash point	:120°C					
Flash point						
Relative density	:~ 0.930 To 0.960@ 25°C					
9.2. Other information						
Refractive index	: ~1.483 To 1.510 @ 25°C					
SECTION 10: Stability and reactivi	ty					
10.1. Reactivity						
10.2. Chemical stability						
Stability	:Stable at normal ambient temperatures.					
10.3. Possibility of hazardous reac	tions					
Possibility of hazardous reactions	:Will not polymerise.					
10.4. Conditions to avoid						
Conditions to avoid	:Avoid heat, flames and other sources of ignition.					
10.5. Incompatible materials						
Materials to avoid	:Strong oxidising agents. Strong acids. Strong alkalis.					
10.6. Hazardous decomposition pr	oducts					
Hazardous decomposition products:Thermal decomposition or combustion may liberate carbon oxides and other toxic						
	gases or vapours.					
SECTION 11: Toxicological inform	ation					
11.1. Information on toxicological effects						
Acute toxicity - oral						
ATE oral (mg/kg)	:65,000.0					
Ingestion	:May be fatal if swallowed and enters airways.					
Skin contact	: Irritating to skin. May cause sensitisation by skin contact.					
Eye contact	:Causes serious eye irritation.					
<u></u>						

Acute toxicity - oral					
Acute toxicity oral (LD <sub>50</sub> mg/kg)	: 1,300.0				
Species	:Rat				
ATE oral (mg/kg)	:1,300.0				
Acute toxicity - dermal					
Acute toxicity dermal (LD50mg/	(g) :2,500.0				
Species	:Rabbit				
ATE dermal (mg/kg)	:2,500.0				
SECTION 12: Ecological Inform	nation				
Ecotoxicity	: Harmful to aquatic life with long lasting effects.				
12.1. Toxicity					
LIMONENE					
Acute aquatic toxicity					
LE(C)50	$:0.1 < L(E)C50 \le 1$				
M factor (Acute)	:1				
Chronic aquatic toxicity					
M factor (Chronic)	:1				
12.2. Persistence and degrada	bility				
Persistence and degradability	:The product is expected to be biodegradable.				
12.3. Bioaccumulative potentia					
Bioaccumulative potential	:The product does not contain any substances expected to be bioaccumulating.				
12.4. Mobility in soil					
Mobility	:The product is insoluble in water.				
12.5. Results of PBT and vPvB	assessment				
Results of PBT and vPvB assessment : This product does not contain any substances classified as PBT or vPvB.					
12.6. Other adverse effects					
SECTION 13: Disposal considerations					
13.1. Waste treatment methods					
Disposal methods	:Dispose of waste product or used containers in accordance with local regulations				
SECTION 14: Transport inform	ation				
General :The	e product is not covered by international regulations on the transport of dangerous goods				
(IMI)	(IMDG, IATA, ADR/RID).				
14.1. UN number : No	t applicable.				

14.2. UN proper shipping name	:Not applicable.				
14.3. Transport hazard class(es)	:No transport warning sign required.				
14.4. Packing group	:Not applicable.				
14.5. Environmental hazards	_				
Environmentally hazardous substar	nce/marine pollutant :No.				
14.6. Special precautions for user	:Not applicable.				
14.7. Transport in bulk according to	Annex II of MARPOL and the IBC Code				
Transport in bulk according to Anne	ex II of MARPOL 73/78 and the IBC Code :Not applicable.				
SECTION 15: Regulatory information	<u>on</u>				
15.1. Safety, health and environment	ntal regulations/legislation specific for the substance or mixture				
EU legislation	:Regulation (EC) No 1272/2008 of the European Parliament and of the Council of				
	16December 2008 on classification, labelling and packaging of substances and mixtures				
	As amended). :Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18December 2006 concerning the Registration, Evaluation, Authorisation and Restriction				
	Of Chemicals (REACH) (as amended).				
Guidance	:Workplace Exposure Limits EH40.				
15.2. Chemical safety assessment Page 8 of 9					
LAVENDER OIL ENGLISH	l l				
SECTION 16: Other information					
	es for data : European Chemicals Agency, http://echa.europa.eu/				
	Issued by Regulatory Manager				
Revision date	20/04/2018				
Revision	2				
Hazard statements in full	:H226 Flammable liquid and vapour.				
	:H302 Harmful if swallowed.				
	:H304 May be fatal if swallowed and enters airways.				
	:H315 Causes skin irritation.				
	:H317 May cause an allergic skin reaction.				
	:H319 Causes serious eye irritation.				
	:H400 Very toxic to aquatic life.				
	:H410 Very toxic to aquatic life with long lasting effects.				
	:H411 Toxic to aquatic life with long lasting effects.				
	:H412 Harmful to aquatic life with long lasting effects.				
This information relates only to the s	specific material designated and may not be valid for such material used in combination				
•	rocess. Such information is, to the best of the company's knowledge and belief, accurate				
	. However, no warranty, guarantee or representation is made to its accuracy, reliability or				

completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

### QUALITY CONTROL DEPARTMENT SPECIFICATION SHEET

Product:	VALERIAN ROOT OIL			: 01.08.2019		
BOTANICAL NAME		: VALARIAN WALLICHI				
SOURCE		: BY THE STEAM DISTILLATION FROM TH OF VALARIAN WALLICHI.	ie Rhiz	OMES		
APPEARANCE		: YELLOW TO DARK BROWN LIQUID				
ODOUR		: ANTIDOT TO SNAKE-VENOM OR SCOR	PION VI	ENOM		
REF. INDEX		: 1.483 TO 1.510 AT 25°C				
SP. GRAVITY AT	25°/25°C	: 0.930 TO 0.960				
OPT. ROTATION	I	: -30° TO -50°				
MAIN CONSTITU	JENTS	: VALARENIC ACID, VALARENONE				
ACID VALUE	S TERRIF	: 25 TO 40 NO. : 3301.29.00.00				
COUNTR	RY OF OR	IGIN : INDIA				
IFRA		Not restricted by	IFF	RA		
USES : FLAVOUR AND FRAGRANCE INDUSTRY, PERFUMERY COMPOUND, SOAPS.CANDLES						

IN THE OPINION OF THE UNDERSIGNED THE SAMPLE COLLECTED FROM

PRODUCTION UNIT IS COMPLIES WITH ABOVE

SPECIFICATIONS/INTERNATIONAL STANDARD QUALITY.