

# **CERTIFICATE OF ANALYSIS**

PRODUCT NAME: ISOPROPYL ALCOHOL

BATCH NUMBER: 4513214

BEST BEFORE DATE: JULY 2026

PROPERTY	SPECIFICATION	TEST RESULT
Appearance , -	Clear, colourless liquid	Pass
Water Content (%)	0.1% wt max	0.0182
Colour (Pt-Co)	10 max	<5
Acidity (as acetic acid)	0.001 wt max	0.0001
Purity (%)	99.8% vol min	99.95
Refractive Index @ 20°C	1.376-1.378	1.3772
Density @ 20°C (g/cm³)	0.784-0.786g/cm <sup>3</sup>	0.7850
Distillation Range IBP	81.8°C min	82.2
Distillation Range DP	82.8°C max	82.4
Non-volatile matter	0.001g/100ml max	<0.001
Water miscibility	Miscible	Pass



## **FOOD ALLERGEN DECLARATION**

## ISOPROPYL ALCOHOL

**CAS NUMBER** 

67-63-0

**EC NUMBER** 

200-661-7

**CHEMICAL NAME** 

PROPAN-2-OL

We hereby confirm that the above material does not contain the following allergens on the basis of Regulation (EU) 1169/2011:

Wheat/Rye/Barley (incl Gluten)	Illegal Dyes e.g. Sudan, Orange II, Para Red etc.	Rice
Oats (incl Bran)	Flavourings - specify	Salt added
Soya	Caffeine	Sugar/Sweeteners added
Soya Derivatives - specify	Сосоа	Ethanol
Sesame Seed / Seed Oil	Caramel	Hydrolysed Vegetable Protein
Poppy Seed / Seed Oil	Coconut	Textured Vegetable Protein
Maize	Coriander	Glutamate (naturally occurring)
Maize Derivatives - specify	Honey	MSG added
Egg/Egg Derivatives	Celery	Azo Colours
Milk/Milk Derivatives	Mustard	Natural Colours
Beef/Beef Derivatives	Yeast/Yeast Extract	Fruit/Fruit Derivatives - specify
Animal Products - specify	Phenylalanine	Orange
Pork/Pork Derivatives	Peanuts/Peanut Derivatives	Kiwi
Fish/Shellfish - specify	Other Nut/Nut Derivatives	Onion/Garlic/Leek, etc.
Preservatives - specify	Other Seed/Seed Derivatives	Herbs/Spices - specify
Sulphur Dioxide	Palm Oil or Palm Derivatives	
Sulphites	Latex / Natural Rubber	
BHA (In Accordance with 95/2/EC)	Lupins	
BHT (In Accordance with 95/2/EC)	Molluscs	
Antioxidants - others (specify)	Vegetables/Vegetable Derivatives - specify	



## **CMR CERTIFICATE**

## ISOPROPYL ALCOHOL

**CAS NUMBER** 67-63-0

**EC NUMBER** 200-661-7

CHEMICAL NAME PROPAN-2-OL

We hereby declare that we have received confirmation from the Manufacturer to state that the above material does not contain any of the listed CMR products, outlined in Article 15 of the Cosmetics Regulation 1223/2009 (CMR substances of category 1A, 1B, or 2 under Part 3 of Annex IV to Regulation (EC) NO 1272/2008).



# **FLOW CHART**

## ISOPROPYL ALCOHOL

**CAS NUMBER** 


67-63-0

**EC NUMBER** 

200-661-7

**CHEMICAL NAME** 

PROPAN-2-OL





## **GMO STATEMENT**

## ISOPROPYL ALCOHOL

**CAS NUMBER** 67-63-0

**EC NUMBER** 200-661-7

**CHEMICAL NAME** PROPAN-2-OL

We hereby confirm that, to the best of our knowledge, no Genetically Modified Organisms (GMO's) are used in the Production of the above material.



## IFRA DECLARATION

## ISOPROPYL ALCOHOL

CAS NUMBER

67-63-0

**EC NUMBER** 200-661-7

CHEMICAL NAME PROPAN-2-OL

We hereby declare that we have received confirmation from the manufacturer for the above material supplied to state that it conforms the following requirements:

- The product is manufactured as per IFRA code of practices.
- The product is neither restricted nor prohibited by IFRA for use in Fragrances.
- The product conforms to IFRA 50th amendment.



# SAFETY DATA SHEET ISOPROPYL ALCOHOL

Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ISOPROPYL ALCOHOL

Chemical name PROPAN-2-OL

Product number IPA, 2D S00828

REACH registration number 01-2119457558-25-XXXX

**REACH registration notes**REACH registration only covers products which OQEMA have imported into Europe or

sourced within Europe. If the product is sold directly outside Europe this is not covered under the registration. It is the responsibility of the subsequent importer into Europe to ensure their

volume of product is covered under the REACH regulations.

CAS number 67-63-0

**EC number** 200-661-7

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Supplier Madar Corporation Limited

19 - 20 Sandleheath Industrial Estate

Fordingbridge SP6 1PA

+44 (0)1425 655 555

technical@madarcorporation.co.uk

## 1.4. Emergency telephone number

Emergency telephone EMERGENCY INFORMATION OUT OF OFFICE HOURS CONTACT CARECHEM 24: +44

(0)1270 502891

## SECTION 2: Hazards identification

## ISOPROPYL ALCOHOL

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

**Health hazards** Eye Irrit. 2 - H319 STOT SE 3 - H336

Environmental hazards Not Classified

2.2. Label elements

**EC number** 200-661-7

Hazard pictograms





Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing vapour/ spray.

Contains PROPAN-2-OL

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTRE/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/ attention.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## ISOPROPYL ALCOHOL

PROPAN-2-OL 99.9%

CAS number: 67-63-0 EC number: 200-661-7

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data

sheet to the doctor in attendance Get medical attention.

**Inhalation** Remove person to fresh air and keep comfortable for breathing. Get medical attention. If

breathing stops, provide artificial respiration.

**Ingestion** Do not induce vomiting unless under the direction of medical personnel. If person is

conscious, rinse mouth with water. Give plenty of water to drink. Never give anything by

mouth to an unconscious person. Get medical attention.

**Skin contact** Wash skin thoroughly with soap and water. Get medical attention.

Eye contact Get medical attention immediately. Separate eyelids, wash the eyes thoroughly with water (15

minutes). Get medical attention.

**Protection of first aiders**No information available.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The most important known symptoms and effects are described in the labelling (section 2.2)

and section 11

InhalationNo information available.IngestionNo information available.Skin contactNo information available.

Eye contact No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments No information available.

Notes for the doctor No information available.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Foam. Carbon dioxide (CO2). Dry powder. Water spray. Alcohol-resistant foam. Dry

chemicals. Cool containers with water spray

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

## ISOPROPYL ALCOHOL

Specific hazards Flammable liquid May release vapours that form flammable mixtures at or above the flash

point. Empty containers or liners may retain some product residues and hence be potentially hazardous. Do not pressurise, cut, weld, drill, grind or otherwise expose containers to heat or sources of ignition. Prevent entry into waterways, sewers, basements or confined areas May

evolve oxides of carbon (COx) under fire conditions.

Hazardous combustion

products

No information available.

5.3. Advice for firefighters

Protective actions during

firefighting

Cool container with water spray from a safe distance

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing

vapours, mist or gas. Provide adequate ventilation. Remove all sources of ignition. Keep unnecessary and unprotected personnel away from the spillage. Immediately evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations.

Vapour can accumulate in low areas.

For non-emergency personnel This material may be hazardous by contact, do not attempt to clean up the spill. Call trained

emergency responders immediately. Clean up only to be done by Emergency

responders/personnel. Restrict access to area as appropriate until clean-up operations are

complete. Use appropriate personal protective equipment.

**For emergency responders** Use appropriate personal protective equipment during clean-up Stop leak if safe to do so.

Provide adequate ventilation. Eliminate all sources of ignition. Do not touch or walk into spilled material. Restrict access to area as appropriate until clean-up operations are complete. Ensure clean-up is conducted by trained personnel only. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Notify appropriate government, occupational health

and safety and environmental authorities.

## 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into drains. Avoid the

spillage or runoff entering drains, sewers or watercourses. Inform the relevant authorities if

environmental pollution occurs (sewers, waterways, soil or air).

## 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Small Spillages: Soak up spill with absorbent material. Place residues in a suitable, covered,

properly labelled container. Wash affected area. Large Spillages: Contain liquid using absorbent material, by digging trenches or by diking. Reclaim into recovery or salvage drums or tank truck for proper disposal. Wash site of spillage thoroughly with water. Contact an approved waste hauler for disposal of contaminated recovered material. Dispose of

contents/container in accordance with local regulations.

## 6.4. Reference to other sections

Reference to other sections See Section 7 for information on safe handling. Wear protective clothing as described in

Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. Collect and dispose

of spillage as indicated in Section 13.

## SECTION 7: Handling and storage

## ISOPROPYL ALCOHOL

#### 7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Do not breathe vapours. Do not breathe gas. Do not breathe

dust. Container must be kept tightly closed when not in use. Only store in correctly labelled containers. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protective equipment as required. Protect against

electrostatic charges.

Advice on general occupational hygiene

Avoid contact with eyes and skin. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash skin thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Containers

which are opened must be carefully resealed and kept upright to prevent leakage. Only store in correctly labelled containers. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. Do not store with oxidising agents.

Storage class No information available.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

**Usage description** No information available.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

## Occupational exposure limits

No information available.

## PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit.

Ingredient comments No information available.

Biological limit values No information available.

**DNEL** Workers - Inhalation; Long term systemic effects: 500 mg/m³

Workers - Dermal; Long term systemic effects: 888 mg/kg/day General population - Inhalation; Long term systemic effects: 89 mg/m³ General population - Dermal; Long term systemic effects: 319 mg/kg/day

General population - Oral; Long term systemic effects: 26 mg/kg/day

**DMEL** No information available.

PNEC Fresh water; 140.9 mg/l

marine water; 140.9 mg/l

STP; 2 251 mg/l

Sediment (Freshwater); 552 mg/kg Sediment (Marinewater); 552 mg/kg

Soil; 28 mg/kg

Oral (secondary poisoning); 160 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

#### ISOPROPYL ALCOHOL

**DNEL** Workers - Inhalation; Long term systemic effects: 500 mg/m³

Workers - Dermal; Long term systemic effects: 888 mg/kg/day

General population - Inhalation; Long term systemic effects: 89 mg/m³ General population - Dermal; Long term systemic effects: 319 mg/kg/day General population - Oral; Long term systemic effects: 26 mg/kg/day

PNEC Fresh water; 140.9 mg/l marine water; 140.9 mg/l

STP; 2 251 mg/l

Sediment (Freshwater); 552 mg/kg Sediment (Marinewater); 552 mg/kg

Soil; 28 mg/kg

Oral (secondary poisoning); 160 mg/kg

#### 8.2. Exposure controls

## Protective equipment







ventilation.









Appropriate engineering controls

Personal protection

No information available.

Eye/face protection

Personal protective equipment for eye and face protection should comply with European Standard EN166. Chemical splash goggles and face shield.

Emergency shower and eye wash facilities should be readily available Provide adequate

Hand protection

To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands For full contact: Nitrile rubber. Minimum layer thickness: 0.4mm breakthrough time >480mins For splash contact: Nitrile rubber. Minimum layer thickness: 0.2mm Breakthrough time 60 min (EN374) If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Other skin and body protection

Chemical resistant boots should comply with European standard EN345. Body protection must be chosen depending on activity and possible exposure, eg. apron, protecting boots, chemical-protection suit (according to DIN-EN 465). Impervious clothing - apron/boots. Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

Hygiene measures

Avoid contact with skin, eyes and clothing Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash skin thoroughly after handling. Take off immediately all contaminated clothing and wash it before reuse. Keep away from foodstuffs, beverages and feed.

## ISOPROPYL ALCOHOL

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face

respiratior with multi purpose combination or type ABEK (EN 14387). If ther respirator is the

sole means of protection, use a full-face supplied air respirator. use respirators and

components tested and approved under appropriate government standards such as NIOSH or

CEN

Thermal hazards No information available.

**Environmental exposure** 

controls

No information available.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colourless.

Odour Alcohol Like

Odour threshold No information available.

**pH** No information available.

Melting point -89.5°C

Initial boiling point and range 82°C

Flash point 12°C Closed cup.

Evaporation rate No information available.

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: 12.7 % Lower flammable/explosive limit: 2 %

Other flammability No information available.

**Vapour pressure** 43.2 hPa @ 20°C 58.7 hPa @ 25°C

Vapour density No information available.

Relative density 0.785 g/ml @ 25°C

**Bulk density** No information available.

**Solubility(ies)** Completely soluble in water.

Partition coefficient log Pow: 0.05

Auto-ignition temperature 425°C

Decomposition TemperatureNo information available.ViscosityNo information available.Explosive propertiesNo information available.

Explosive under the influence

of a flame

No information available.

Oxidising properties No information available.

Comments No information available.

## ISOPROPYL ALCOHOL

9.2. Other information

Other information No information available.

**Refractive index**No information available.

Particle size No information available.

Molecular weight No information available.

**Volatility** No information available.

**Saturation concentration** No information available.

Critical temperature No information available.

Volatile organic compound No information available.

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Stable under normal conditions

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Reacts with air to

form peroxides.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Hazardous polymerisation does not occur

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Take precautionary measures against static

discharges.

10.5. Incompatible materials

Materials to avoid Oxidising agents. Strong oxidising agents. Acid anhydrides. Aluminium. Halogenated

compounds Acids.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Fire creates: Carbon Oxides (CO + CO2)

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicological effects

No information available.

Other health effects

No information available.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 5.84 g/kg, bw, Oral, Rat Klimisch rating 2 1948 OECD 401

Acute toxicity - dermal

Notes (dermal LD₅o) LD₅o 16.4 ml/kg, bw, Dermal, Rabbit Klimisch rating 2 1948 OECD 402

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC50 > 10 000 ppm, Inhalation, Rat KLIMISCH RATING 1 1991 OECD 403 LC50 37.5 mg/l,

Inhalation, Rat OECD 403

Skin corrosion/irritation

## ISOPROPYL ALCOHOL

Skin corrosion/irritation No information available.

Animal data Dose: , 4 hours, Rabbit Not classified. Klimisch rating 2 1975

Human skin model test No information available. Extreme pH No information available.

Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 mL, 14 days, Rabbit Category II klimisch rating 1 1986 OECD405

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Buehler test - Guinea pig: Not sensitising. Klimisch rating 1 1980 OECD 406

Germ cell mutagenicity

Genotoxicity - in vitro Mammalian cell gene mutation assay: Negative. Klimisch rating 1 1990 OECD 476 Bacterial

reverse mutation test: Negative. Klimisch rating 2 1992 OECD 471

Micronucleus assay: Negative. Klimisch rating 2 1991 OECD 474 Genotoxicity - in vivo

Carcinogenicity

Carcinogenicity NOEL 5 000 ppm, Inhalation, Rat Klimisch rating 1 1994 1997 OECD 451 NOEL 5 000 ppm,

Inhalation, Mouse Klimisch rating 2 1993 1997 OECD 451

Target organ for carcinogenicity

No information available.

No information available. IARC carcinogenicity NTP carcinogenicity No information available.

Reproductive toxicity

Weight of evidence. Two-generation study - NOAEL 500 mg/kg/day, Oral, Rat P0 Two-Reproductive toxicity - fertility

generation study - NOAEL 500 mg/kg/day, Oral, Rat F1 Two-generation study - NOAEL 1 000

mg/kg/day, Oral, Rat F1 Klimisch rating 1 1992 OECD 416

Reproductive toxicity -

Weight of evidence. Maternal toxicity: - NOAEL: 400 mg/kg/day, Oral, Rat Developmental

development

toxicity: - NOAEL: 400 mg/kg/day, Oral, Rat Klimisch rating 1 1990 OECD 414

Specific target organ toxicity - single exposure

STOT - single exposure No information available. No information available. **Target organs** 

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOEC 500 ppm, Inhalation, Rat NOAEC 5 000 ppm, Inhalation, Rat NOEC 5 000 ppm,

Inhalation, Rat Klimisch rating 1 1994 OECD 451

No information available. Target organs

Aspiration hazard

Aspiration hazard No information available.

**Toxicokinetics** No information available. General information No information available. Inhalation No information available.

## ISOPROPYL ALCOHOL

IngestionNo information available.Skin contactNo information available.Eye contactNo information available.

Acute and chronic health

hazards

No information available.

Route of exposure

Target organs

No information available.

Medical symptoms

No information available.

Medical considerations

No information available.

## SECTION 12: Ecological information

**Ecotoxicity** No information available.

12.1. Toxicity

**Toxicity** No information available.

Acute aquatic toxicity

Acute toxicity - fish LC<sub>so</sub>, 96 hours: 10 000 mg/l, Pimephales promelas (Fat-head Minnow)

LC<sub>50</sub>, 96 hours: 9 640 mg/l, Pimephales promelas (Fat-head Minnow)

klimisch rating 2

1983 OECD 203

Acute toxicity - aquatic

invertebrates

LC<sub>50</sub>, 24 hours: > 10 000 mg/l, Daphnia magna LC₀, 24 hours: 5 000 mg/l, Daphnia magna

klimisch rating 2

1977 OECD 202

Acute toxicity - aquatic plants Toxicity threshold, 7 days: 1 800 mg/l, Scenedesmus quadricauda

klimisch rating 2

1980

Acute toxicity - Toxicity threshold, 16 hours: 1 050 mg/l, Pseudomonas putida

microorganisms klimisch rating 2

1980

Acute toxicity - terrestrial No information available.

Chronic aquatic toxicity

Chronic toxicity - fish early life No information available.

stage

Short term toxicity - embryo

and sac fry stages

No information available.

Chronic toxicity - aquatic

invertebrates

No information available.

Toxicity to soil

No information available.

Toxicity to terrestrial plants

No information available.

12.2. Persistence and degradability

## ISOPROPYL ALCOHOL

Persistence and degradability No information available.

Phototransformation No information available.

Stability (hydrolysis) No information available.

Biodegradation Water - Degradation 53: 5 days

The substance is readily biodegradable.

klimisch rating 2

1979

EU method C.5 EU Method C.6

Biological oxygen demand No information available.

Chemical oxygen demand No information available.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential log Pow: <= 4,

Partition coefficient log Pow: 0.05

12.4. Mobility in soil

Mobility No information available.

Adsorption/desorption

coefficient

No information available.

Henry's law constant

No information available.

Surface tension

No information available.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

## 12.6. Other adverse effects

Other adverse effects No information available.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

General information Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Disposal methods**Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care

in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company Empty/contaminated containers may contain product residues so

should be disposed of in the same way as the product.

Waste class 16 03 05 The waste code classification is to be carried out according to the European Waste

Catalogue (EWC).

#### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID) 1219 UN No. (IMDG) 1219 UN No. (ICAO) 1219

## ISOPROPYL ALCOHOL

**UN No. (ADN)** 1219

#### 14.2. UN proper shipping name

Proper shipping name

ISOPROPANOL (ISOPROPYL ALCOHOL)

(ADR/RID)

Proper shipping name (IMDG) ISOPROPANOL (ISOPROPYL ALCOHOL)

Proper shipping name (ICAO) ISOPROPANOL (ISOPROPYL ALCOHOL)

Proper shipping name (ADN) ISOPROPANOL (ISOPROPYL ALCOHOL)

#### 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

#### Transport labels



## 14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ADN packing group II

ICAO packing group ||

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

**EmS** F-E, S-D

ADR transport category 2

Emergency Action Code •2YE

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

33

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations No information available.

## ISOPROPYL ALCOHOL

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance No information available.

Health and environmental

listings

No information available.

Authorisations (Annex XIV

Regulation 1907/2006)

No information available.

Restrictions (Annex XVII Regulation 1907/2006)

No information available.

## 15.2. Chemical safety assessment

No information available.

#### Inventories

## **EU - EINECS/ELINCS**

No information available.

#### Canada - DSL/NDSL

No information available.

#### **US-TSCA**

No information available.

## US - TSCA 12(b) Export Notification

No information available.

## Australia - AICS

No information available.

## Japan - ENCS

No information available.

## Korea - KECI

No information available.

## China - IECSC

No information available.

## Philippines - PICCS

No information available.

#### New Zealand - NZIOC

No information available.

## Taiwan - TCSI

No information available.

#### South Korea

## SECTION 16: Other information

## ISOPROPYL ALCOHOL

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

GHS: Globally Harmonized System.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

Kow: Octanol-water partition coefficient.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

vPvB: Very Persistent and Very Bioaccumulative.

BCF: Bioconcentration Factor.
BOD: Biochemical Oxygen Demand.

EC₅o: 50% of maximal Effective Concentration.

LOAEC: Lowest Observed Adverse Effect Concentration.

LOAEL: Lowest Observed Adverse Effect Level.

NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
LOEC: Lowest Observed Effect Concentration.

DMEL: Derived Minimal Effect Level.

M/I: Manufacturer / Importer MSDS: Material Safety Data Sheet

SDS: Safety Data Sheet

OECD: Organization for Economic Co-operation and Development

PPE: Personal Protection Equipment

QSAR: Qualitative Structure Activity Relationship PBT: Persistent, Bioaccumulative and Toxic substance

SCBA: Self-Contained Breathing Apparatus STOT: Specific Target Organ Toxicity STOT (RE): Repeated Exposure STOT (SE): Single Exposure

**General information** No information available.

Key literature references and sources for data

Source: European Chemicals Agency, http://echa.europa.eu/ Material Safety Data Sheet,

Misc. manufacturers.

Classification procedures according to Regulation (EC) 1272/2008

No information available.

**Training advice** No information available.

**Revision comments** This is the first issue.

Revision date 09/02/2022

 Revision
 000

 SDS number
 23522

## ISOPROPYL ALCOHOL

Hazard statements in full H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



# **PRODUCT SPECIFICATION**

# **ISOPROPYL ALCOHOL**

CAS NUMBER: 67-63-0 EC NUMBER: 200-661-7

**REV: 00** 

DATE: 13.01.2022

CHARACTERISTIC	TEST METHOD	SPECIFICATION
COLOUR AND APPEARANCE		COLOURLESS LIQUID
PURITY WEIGHT (%wt)	GC	99.9 MIN
WATER (%wt)	KARL FISCHER	0.10 MAX
SULFIDE AS SULPHUR (ppm)	GB/T6324.4	2.0 MAX
CARBONYL AS ACETONE (%wt)	GB/T6324.5	0.02 MAX
ACIDITY AS ACETIC ACID (%wt)	VOLUMETRIC PRECIPITATION METHOD	0.002 MAX
NON-VOLATILE RESIDUE (%wt)	GB/T6324.2	0.002 MAX
COLOUR (APHA)	PLATINUM-COLBALT METHOD	10 MAX
DENSITY AT 20°C (g/cm³)	AREOMETER	0.784-0.786
BENZEN PARAMETER (ppm)	GC	2 MAX

## **APPLICATIONS:**

Applications of IPA include pharmaceuticals, cosmetics, plastics, fragrances and paint. It is also used in the electronics industry as a dehydrating and cleaning agent.

## **STORAGE & PACKAGING:**

Store in a cool, dry place, away from direct sunlight. Packed in 800kg IBCs.



# **VEGAN SUITABILITY STATEMENT**

## ISOPROPYL ALCOHOL

**CAS NUMBER** 67-63-0

**EC NUMBER** 200-661-7

**CHEMICAL NAME** PROPAN-2-OL

We hereby confirm that, to the best of our knowledge, the whole production process of the above material, and the end product, is not processed with any animal products, and is suitable for a vegetarian and vegan use.