

Certificate of Analysis

SALICYLIC ACID


Batch No: 4352804

Best Before End: March 2022

Assay 99.6%
Sulphated Ash 0.04
Loss on Drying 0.02
Heavy Metals <20
Sulphate <200
Chloride <100
Total Impurities 0.002



PROCESS FLOW CHART SALICYLIC ACID





Date: 21.09.2018

GMO STATEMENT TO WHOMSOEVER IT MAY CONCERN

We, hereby certify that the Salicylic Acid supplied by us does not contain Genetically Modified Organisms (GMO) and our supplier confirmed that their manufacturing process does not includes the use of genetically modified material.



Section 1 - IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY					
448 444 46					
1.1 Product identifier :					
Substance Name :	Salicylic acid				
• EC# :	200-712-3				
• CAS#:	69-72-7				
• Synonym:	o-Hydroxybenzoic acid Phenol-2-carboxylic acid				
REACH Pre Registration number :	05-2115151514-54-0000				
Chemical Formula:	C ₇ H ₆ O ₃				
INCI name :	SALICYLIC ACID				
Structure:	ОН				
1.2 Relevant identified uses of the substance	es or mixture and used advised against				
Recommended use :	Used as laboratory reagent, intermediates, Used for separation of salt, manufacturing of resin, Used in cleaning agents and in cosmetic products formulations				
Recommended restrictions :	None known				
1.3 Details of supplier of the safety data sheet :					
1.3 Details of supplier of the safety data she	eet:				
1.3 Details of supplier of the safety data sheSeller Details:	MADAR Corporation Ltd 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK				
	MADAR Corporation Ltd 19-20 Sandleheath Industrial Estate,				
Seller Details: Approved Sellers:	MADAR Corporation Ltd 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Mystic Moments New Directions UK				
Seller Details:	MADAR Corporation Ltd 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Mystic Moments New Directions UK				



1 Class	ification of substar	nce or mixture acco	ording	n to Regulation (F	C) No 127	2/2008 (CLP)		
		ategories and cod		Acute oral toxicity category 4				
	iazara olaco alla o	atogorioo ana ooa		Eye damage		category 1		
• H	lazard statement C	ode(s) :		H302				
				H318				
2 Labeli	na according to D	egulation (EC) No	1272/2	0008 (CLD)				
	lazard Pictogram/S		121212	Signal word: Dang	nor.			
				GHS05		GHS07		
				Corrosion		Exclamation mark		
• F	lazard Statements:			H302: Harmful if s	wallowed.			
•				H318: Causes serious eye damage.				
				P270: Do no eat, drink or smoke when using this product. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if yo feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330: Rinse mouth. P501: Dispose of contents/container to licensed facility.				
3. Other	hazards			Not known				
ection 3	· COMPOSITION/IN	FORMATION ON II	NGRE	DIENTS				
Co	onstituent	CAS No.	EC N	lo. Typ		Concentration range	Remarks	
sa	licylic acid	69-72-7	200-71	12-3 99.5 %	(w/w)	> 99.0 - ≤ 99.5 % (w/w)	-	
lr	npurities	CAS No.	EC N	lo. Typ Concen		Concentration range	Remarks	



4.1 Description of First Aid measures:				
General measures : decor	aider must protect himself. Place affected clothing in a sealed bag for subsequent stamination.			
	immediately with plenty of water, also under the eyelids, for at least 15 minutes. nmediate medical advise/attention.			
• Skin Contact : Take of wa	off contaminated clothing and shoes immediately. Wash off with soap and plenty ter.			
• Inhalation : Move	to fresh air. Consult a physician after significant exposure.			
• Ingestion : Do No	OT induce vomiting. Do not give anything to drink.			
4.2. Most important symptoms and effects	, both acute and delayed			
No symptoms known currently.				
4.3. Indication of any immediate medical a	ttention and special treatment needed			
Treat symptomatically.				
Section 5 - FIRE-FIGHTING MEASURES				
5.1. Extinguishing media:				
Suitable extinguishing media: Water spray.				
Unsuitable extinguishing media: None know	vn.			
5.2 Special hazarda ariaing from the auto	tanas ar mirtura			
5.2. Special hazards arising from the subs Risks of dust explosion.	tance or mixture			
Thore of duct expression.				
5.3. Advice for fire-fighters				
	nters: Special protective equipment for fire-fighters. Self contained breathing			
apparatus (EN 133).	and the distriction of the contract of the con			
Specific fire fighting methods: Cool contain	ers / tanks with water spray.			
Continue C. ACCIDENTAL DELEASE ME	ACUDEC			
Section 6 - ACCIDENTAL RELEASE MEASURES				
6.1. Personal precautions, protective equipment and emergency procedures:				
Personal Protective Equipment :	Avoid contact with the skin and the eyes. Do not breathe dust. For further information refer to section "Exposure controls / personal protection". Wear proof-boots. Mark the contaminated with signs and prevent access to unauthorized personnel. Signal word. Stop leaking if safe to do so.			
Skin Protection : Use personal protective equipment				
Respiratory Protection: No personal respiratory protective equipment normally required				
Work Practices:	Avoid contact with skin. When using, do not eat, drink or smoke.			



6.2. Environmental precautions:

• Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning:

- Recovery: Keep in suitable, closed containers for disposal.
- **Decontamination/Cleaning:** Decontaminate and wash the floor with: Sodium hydroxide (2 to 5%). Wash off with plenty of water.
- Disposal: Treat recovered material as described in the section "Disposal considerations".

Section 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Technical measures:

Electrical bonding of pneumatic conveyor.

Earth the equipment.

Blanket with inert gas.

Advice on safe handling and usage:

Protect from moisture.

Avoid dust formation.

Avoid contact with water.

Provide adequate ventilation.

7.2 Conditions for safe storage:

- Protect against light.
- Keep away from open flames, hot surfaces and sources of ignition.
- Keep container tightly closed and dry.
- Packaging: Store in original container. Flexible container lined with a plastic film. Paper bag lined with a plastic film.
- Packaging materials:

Recommended: Stainless steel. Plastic materials (polyethylene, polypropylene).

Not suitable: Certain plastic materials. Steel.

7.3 Specific end use(s):

As mention in section 1.2.

Section 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

• Contains no substances with occupational exposure limit values.

8.2 Exposure Control:

• Engineering measures: Avoid splashes. Maintain air concentrations below occupational exposure standards. Extract at emission point.



•	Respiratory Protection:	In case of dust or aerosol formation use respirator with an approved filter.
•	Hand Protection:	The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also, takes into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves must be inspected prior to use.
•	Eye protection:	Safety glasses. In case of contact through splashing: wear face-shield and protective suit.
•	Skin protection:	Protective equipment must be chosen according to the amount and concentration of the dangerous substance at the workplace. Remove and wash contaminated clothing.
•	Hygiene measures :	Emergency equipment immediately accessible, with instructions for use. Ensure that eyewash stations and safety showers are close to the workstation location. Use clean, well-maintained personal protective equipment. Store personal protective equipment in a clean location away from the work area. Shower or bathe at the end of working. Regular cleaning of equipment, work area and clothing. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks, immediately after handling the product and at the end of the day.
•	Protective measures:	Protective equipment must be chosen according to current CEN standards and in cooperation with the supplier of protective equipment. Selection of personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential risks during use.
Section	1 9 - PHYSICAL & CHEMICAL PRO	PERTIES:
9.1 Info	ormation on basic physical and chemi	cal properties:
•	Appearance :	white or almost white, crystalline powder or white or colourless, acicular crystals
•	Odor:	Not available
•	Odor threshold :	Not available
•	pH :	Not available
•	Melting point/Freezing point :	158 °C and 161°C
•	Initial boiling point and boiling range	e: 211 °C (412 °F) - lit.
•	Flash Points :	157 °C (315 °F) - closed cup
•	Evaporation rate :	Not available
•	Flammability (solid, gas) :	Not available



•	Upper/lower flammability limits:	or explosive	lower e	explosive limit1.1 %(V)				
•	Vapour pressure :		1 hPa	1 mmHg) at 114 °C (237 °F)				
•	Vapour density :		Not ava	ailable				
•	Relative density :		1.443 (Water = 1)				
•	Solubility(ies) :			Slightly soluble in water, freely soluble in ethanol (96 per cent), sparingly soluble in methylene chloride.				
•	Partition coefficient:n-oc	tanol/water :	log Pow: 2.21					
•	Auto-Ignition Temperatu	re :	Not available					
•	Decomposition tempertu		Not ava	ailable				
•	Viscosity:		Not ava					
•	Explosive properties :		No					
•	Oxidising properties :		No					
	January Janahanna							
9.2 Otl	ner information : Not availa	ble						
Section	1 10 - STABILITY AND R	EACTIVITY						
•	Reactivity:		No dar	gerous reaction known unde	r conditions of normal use.			
•	Chemical stability:		Stable under recommended storage conditions.					
•	Possibility of hazardous re	actions :	No hazardous reactions when stored and handled according to prescribed instructions					
•	Conditions to avoid :		Risk of dust ignition in air at concentrations greater than 30 g/m3. Decomposes on heating.					
•	Hazardous decomposition products :			At high temperatures releases flammable vapours. On combustion or on thermal decomposition (pyrolysis) releases toxic vapours (Carbon oxides (CO + CO2)).(Phenol).				
•	Incompatible materials :		Alkalis and caustic products. Oxidizing materials.					
			•					
Section	11 - TOXICOLOGICAL	INFORMATION						
•	No hazard identified							
11.1 Inf	ormation on toxicological of	effects:						
	 Toxicity 	Acute Oral toxicity	1	Acute Dermal toxicity				
	• Species	Rat		Rat				
	Effect level	LD50 - 891 mg/kg	bw	LD50 - > 2000 mg/kg bw				
	_ l	1		1				
11.2 Irri	tation Corrosion:							
•	Eye: Highly irritating							
Skin: Not irritating								



	nsitization					
•	Skin: Not se	ensitizing				
11.4 CM	R effects (ca	rcinogenicity, mu	utagenicity and toxicity for repro	oduction)		
			1			
•	Carcinogen		Non-carcinogenic			
•	manageme energy in the manageme					
•	Reprotoxic	effects :	Not found to be reprotoxic.			
11.5 Oth	er toxic effec	cts on humans:				
•	Inhalation	:	No hazard identified			
•	Eyes		No hazard identified			
•	Ingestion	:	Harmful if swallowed			
•	Chronic tox	cicity :	No hazard identified			
		<u> </u>				
•	No informati	on available				
11.7 Spe	SingleRepeat	on available organ toxicity: exposure : ded exposure : OGICAL INFOR	toxicity No experimental or epidemitoxicity		ent evidence for specific target organ ent evidence for specific target organ	
Section	Single Repeat 12 - ECOLO	exposure :	toxicity No experimental or epidemitoxicity			
Section	Single Repeat 12 - ECOLO otoxicity:	organ toxicity: exposure : ed exposure : OGICAL INFOR	toxicity No experimental or epidemitoxicity MATION Toxicity	iological sufficie	ent evidence for specific target organ	
Section 12.1 Eco	Single Repeat 12 - ECOLO toxicity:	exposure : ed exposure : OGICAL INFOR Short term toxicity (Test organism ,sp.	toxicity No experimental or epidemitoxicity MATION Toxicity to fish:	iological sufficie	ent evidence for specific target organ Endpoint with Effective conc. :	
Section 12.1 Eco	Single Repeat 12 - ECOLO otoxicity:	crgan toxicity: exposure : ed exposure : Codical INFOR Short term toxicity (Test organism; sp. Short-term toxicity (Test organism: sp. Toxicity to aquatic	toxicity No experimental or epidemi toxicity MATION Toxicity to fish: becies: Leuciscus idus)	Duration	Endpoint with Effective conc. : LC50: 90 mg/L	



12.2 Persistence and degradability:						
The substance is readily biodegradable						
12.3 Bioaccumulative potential:						
The substance was not B/vB. As its log Kow < 4.5						
12.4 Mobility in soil:						
Data not available	· · · · · · · · · · · · · · · · · · ·					
12.5 Results of PBT and vPvB assessment:						
The substance is not PBT / vPvB						
12.6 Other adverse effects:						
None						
Section 13 - DISPOSAL CONSIDERATIONS:						
Disposal of product:	Do not let product enter drains.					
Disposal of Packaging:	Completely empty the packaging prior to decontamination. Incinerate bags and flexible containers. Dispose off in accordance with local regulations.					
Section 14 - TRANSPORT INFORMATION						
·	s per Land transport (ADR/RID), Marine transport (IMDG), Air transport					
ICAO/IATA, and Department of Transportation (DOT).						
UN Number :	Not regulated. Not classified as dangerous in the meaning of transport regulations					
UN proper shipping name :	Not regulated. Not classified as dangerous in the meaning of transport regulations					
• Transport hazard class : Not regulated. Not classified as dangerous in the meaning of transport regulations						
Packing group :	Not regulated. Not classified as dangerous in the meaning of transport regulations					
Environmental hazards :	Not regulated. Not classified as dangerous in the meaning of transport regulations					
Section 15 - REGULATORY INFORMATION						
15.1 Other regulatory information:						
This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.						



Safety, health and environmental regulations/legislation specific for the substance or mixture No data available.

Inventory Status:

Listed in: US(TSCA), Europe (EINECS), New Zealand (NZIoC), Philippines (PICCS), Canada(DSL), China (IECSC), Australia (AICS), Japan (ENCS).

HMIS (Hazardous Materials Identification system) classification



2= Temporary or minor injury may occur.

- 1 = Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 °F. (Class IIIB).
- 0= Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.




D =





• NFPA (National Fire Protection Association)



- 2 = Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury
- 1 = Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur (e.g. mineral oil). Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93 °C (200 °F).

0=Normally stable, even under fire exposure conditions, and are not reactive with water.

15.2 Chemical Safety Assessment:

A chemical safety assessment has been carried out for the substance or the mixture by the supplier (LR)- No



Section 16 - OTHER INFORMATION

16.1 Technical Advice:

- Use data given in this Safety Data Sheet and make an inventory list of all chemicals used in the factory
- Create a Register for Workplace Chemicals;
- Set priorities concerning the safety in the organization
- Create emergency plans for the assessed hazards;
- Organize occupational health care and regular surveys as necessary;
 - Organize contacts with authorities/laboratories to create a monitoring system for chemical hazards, and to reliably measure and/or estimate occupational exposures to chemicals when needed;
- Start collecting case studies of accidents and sickness records in the enterprise to create a basis for priority measures in the control of hazards;
- Involve workers in safety organizations, such as the system of Safety Representatives and Committees.
- Do regular inspection using checklists made for the particular chemicals and chemical processes in use;
- Mark and label all chemicals;
- Keep at hand an inventory list of all chemicals handled in the place of work together with a collection of Chemical Safety Data Sheets for these chemicals;
- Train workers to read and understand the Chemical Safety Information, including the health hazards and routes of exposure; train them to handle dangerous chemicals and processes with respect;
- Plan, develop and choose the safe working procedures;
- Reduce the number of people coming into contact with dangerous chemicals;
- Reduce the length of time and/or frequency of exposure of workers to dangerous chemicals;
- Train workers to know and understand the emergency procedures;
 - Equip and train workers to use personal protective equipment properly after everything possible has been done to eliminate hazards by means of other methods;

16.2 List of relevant R phrases:

R22 - Harmful if swallowed

R41 - Risk of serious damage to eyes

Last updated on : July, 2015.

The information above is believed to be accurate and represents the best information currently made available to us by MADAR Corporation Ltd. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall MADAR Corporation Ltd. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damage.

MSDS version 1.1



Effective Date: 13.05.2014

Revision: 03

SALICYLIC ACID BP/Ph.Eur

Chemical name : 2-Hydroxybenzoic acid; o-hydroxybenzoic acid

INCI Name : Salicylic Acid CAS No. : 69-72-7 EINECS No. : 200-712-3 Molecular Weight : 138.12

Molecular formula : HO.C6H4.COOH

Structural formula :

Test		<u> </u>	
No.	Test	Specification	Reference
1	Appearance	White or almost white, crystalline powder or white or colourless, acicular crystals.	TSG/SA-020-03
2	Solubility	Slightly soluble in water, freely soluble in ethanol (96 per cent), sparingly soluble in methylene chloride.	TSG/SA-020-03
3	Identification		
	A- Melting point	158° - 161° C.	TSG/SA-020-03
	B- Infrared absorption spectrometer	The transmission minima (absorption maxima) in the spectrum obtained with the substance to be examined	TSG/SA-020-03
		correspond in position and relative size to those in the spectrum obtained with the reference substance CRS/WS.	
	C- Reactions of Salicylates (Reaction a)	A violet colour is produced that persists after the addition of 0.1 mL of acetic acid.	TSG/SA-020-03
4	Appearance of solution	The solution is clear and colourless.	TSG/SA-020-03
5	Related substances	Impurity A – Not More than 0.1%. (4-hydroxybenzoic acid)	TSG/SA-020-03
		Impurity B – Not More than 0.05%. (4-hydroxyisophthalic acid)	TSG/SA-020-03
		Impurity C – Not More than 0.02%. (phenol)	TSG/SA-020-03
		Any other impurity – Not More than 0.05%.	TSG/SA-020-03
		Total impurities – Not More than 0.2%.	TSG/SA-020-03
6	Chlorides	Maximum 100 ppm.	TSG/SA-020-03
7	Sulfates	Maximum 200 ppm.	TSG/SA-020-03
8	Heavy metals	Maximum 20 ppm.	TSG/SA-020-03
9	Loss on drying	Maximum 0.5 per cent.	TSG/SA-020-03
10	Sulfated ash	Maximum 0.1 per cent.	TSG/SA-020-03
11	Assay	99.0 per cent to 100.5 per cent (dried substance).	TSG/SA-020-03

Stability: The minimum storage time for Salicylic Acid is five years in original sealed containers.



Date: 21.09.2018

TO WHOMSOEVER IT MAY CONCERN

We, hereby declare that the **Salicylic Acid** supplied by us is 100% vegan including its Raw materials, Ingredients, Additives and Excipients. We confirmed no substance or materials of animal origin has been used during the development and production.