

# **Certificate of Analysis**

PRODUCT DETAILS			
Product Name	PINE OIL SYLVESTRIS	PINE OIL SYLVESTRIS	
Product Code	OEPINESYLV	OEPINESYLV	
Batch Number	4418811		
Best Before End	December 2023	December 2023	
Identification	CAS No: 84012-35-1	EINECS No: 281-679-2	
	Alternative CAS: 8023-99-2		
PHYSICAL AND CHEMICA	AL CHARACTERISTIC		
	SPECIFICATION RANGE	RESULTS	
Appearance	Liquid	Conforms	
Colour	Colourless to Pale Yellow	Conforms	
Odour	Characteristic	Conforms	
Relative Density @ 20°C	0.855 - 0.875	0.8621	
Refractive Index @ 20°C	1.465 - 1.480	1.471	
Optical Rotation °	-30 to +10	-24.5	
Flash Point °C	≥37	Conforms	
STORAGE			
Storage	Store in tightly closed container with minimum headspace in a cool, dark and		
	dry place.		

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

# MYSTIC MOMENTS

## SAFETY DATA SHEET PINE OIL SYLVESTRIS AUSTRIAN

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PINE OIL SYLVESTRIS AUSTRIAN Product name

OFPINESYI V Product number

Pinus Sylvestris L. Synonyms; trade names

84012-35-1 CAS number

8023-99-2 **Alternative Cas Number** 

EC number 281-679-2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Fragrance use

### 1.3. Details of the supplier of the safety data sheet

Supplier

MADAR Corporation Limited 19-20 Sandleheath Industrial Estate

Fordingbridge Hampshire SP6 1PA

Tel. +44 1425 655555 (Opening Hours 9am - 5pm)

e-mail technical@madarcorporation.co.uk

#### 1.4. Emergency telephone number

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 2 - H411

Human health May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic

skin reaction.

**Environmental** Toxic to aquatic life with long lasting effects.

Flammable liquid and vapour **Physicochemical** 

2.2. Label elements

**EC** number 281-679-2 19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

Tel: 01425 655555 Email: technical@madarcorporation.co.uk

Page 2 of 14

### PINE OIL SYLVESTRIS AUSTRIAN

#### **Pictogram**









#### Signal word

#### Danger

#### Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing vapour/ spray. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/ container in accordance with national regulations.

#### **Contains**

Alpha Pinene, Beta Pinene, (S)-p-mentha-1,8-diene, Delta-3-Carene, 7-methyl-3-

methyleneocta-1,6-diene, a terpinolene

## Supplementary precautionary

statements

P233 Keep container tightly closed.

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362+P364 Take off contaminated clothing and wash it before reuse.
P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

## 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## PINE OIL SYLVESTRIS AUSTRIAN

Alpha Pinene		30-60%
CAS number: 80-56-8	EC number: 201-291-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		
Aguatic Acute 1 - H400		

Beta Pinene	3 -	- 25%
CAS number: 127-91-3	EC number: 242-060-2	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400		

Delta-3-Carene		2 - 20%
CAS number: 13466-78-9	EC number: 236-719-3	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Flam. Liq. 3 - H226		
Skin Irrit. 2 - H315 Skin Sens. 1 - H317		
Asp. Tox. 1 - H304		

Aquatic Chronic 1 - H410	
(S)-p-mentha-1,8-diene	4 - 15%

## Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

Aquatic Chronic 1 - H410

## PINE OIL SYLVESTRIS AUSTRIAN

Camphene 0.4 - 7.5%

CAS number: 79-92-5 EC number: 201-234-8

M factor (Chronic) = 1

Classification

Flam. Sol. 1 - H228 Eye Irrit. 2 - H319 Aquatic Chronic 1 - H410

7-methyl-3-methyleneocta-1,6-diene 1.5 - 10%

CAS number: 123-35-3 EC number: 204-622-5

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

a terpinolene 0.1 - 4%

CAS number: 586-62-9 EC number: 209-578-0

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**Inhalation** Remove person to fresh air and keep comfortable for breathing. Maintain an open airway. Get

medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Aspiration hazard if swallowed. Do not induce vomiting.

Get medical attention.

Skin contact Wash skin thoroughly with soap and water or use an approved skin cleanser. Continue to

rinse for at least 15 minutes and get medical attention.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

General information Observe risk of aspiration if vomiting occurs.

4.3. Indication of any immediate medical attention and special treatment needed Name of Sandieneath Industrial Estate, Fordingsridge, Hampshire, SP6 1PA, UK

#### PINE OIL SYLVESTRIS AUSTRIAN

Notes for the doctor No data available.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Unsuitable extinguishing

media

For safety reasons do not use full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire, the following can be released: carbon monoxide (CO), carbon dioxide (CO2),

smoke, soot.

Hazardous combustion

products

Carbon dioxide (CO2). Carbon monoxide (CO).

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out

of sewers and watercourses.

Special protective equipment

for firefighters

Wear full protective clothing

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear

suitable protective equipment. Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation of dust and vapours. Wash thoroughly after

dealing with a spillage.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb with liquid binding material (e.g sand, diatomaceous earth, acid or universal binding

agents). Collect in closed and suitable containers for disposal. Never return spills in original

containers for re-use. Wash spill site after material pick up is complete.

#### 6.4. Reference to other sections

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Apply good manufacturing practice and industrial hygiene practices. Keep containers sealed

when not in use. Use personal protection equipment as mentioned under "exposure controls and personal protection". Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Do not empty into

drains. Avoid release to the environment.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

## 7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection
19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK

#### PINE OIL SYLVESTRIS AUSTRIAN

#### 8.1. Control parameters

#### Alpha Pinene (CAS: 80-56-8)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.8 mg/m<sup>3</sup>

> Workers - Dermal; Long term systemic effects: 0.54 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 0.67 mg/m<sup>3</sup> General population - Dermal; Long term systemic effects: 0.19 mg/kg, bw/day General population - Oral; Long term systemic effects: 0.19 mg/kg, bw/day

**PNEC** - Fresh water; Short term 0.606 mg/l

- Fresh water, Intermittent release; 3.03 mg/l

- Marine water; Short term 0.061 mg/l

- Intermittent release, Marine water; 0.303 mg/l

- STP; Short term 0.2 mg/l

- Sediment (Freshwater); Short term 157 mg/kg - Sediment (Marinewater); Short term 15.7 mg/kg

- Soil; Short term 31.7 mg/kg

## Beta Pinene (CAS: 127-91-3)

**DNEL** Workers - Inhalation; Long term systemic effects: 5.69 mg/m³

> Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1 mg/m3 General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg

General population - Oral; Long term systemic effects: 0.3 mg/kg, bw/day

**PNEC** - Fresh water; Short term 1.004 mg/l

- Intermittent release, Fresh water; 5.02 mg/l

- Marine water; Short term 0.1 mg/l

- STP; Short term 3.26 mg/l

- Sediment (Freshwater); Short term 0.337 mg/kg - Sediment (Marinewater); Short term 0.034 mg/kg

- Soil; Short term 0.067 mg/kg

#### Delta-3-Carene (CAS: 13466-78-9)

**DNEL** Workers - Inhalation; Long term systemic effects: 5.69 mg/m<sup>3</sup>

> Workers - Dermal; Long term systemic effects: 0.8 mg/kg, bw/day General population - Inhalation; Long term systemic effects: 1 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 0.3 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.3 bw/day, mg/kg

**PNEC** - Fresh water; Short term 0.44 mg/l

- Marine water; Short term 0.044 mg/l

- STP; Short term 3.26 mg/l

- Sediment (Freshwater); Short term 104 mg/kg - Sediment (Marinewater); Short term 10.4 mg/kg

- Soil; Short term 20.8 mg/kg

#### 7-methyl-3-methyleneocta-1,6-diene (CAS: 123-35-3)

**DNEL** Workers - Dermal; Long term systemic effects: 0.83 mg/kg

Workers - Inhalation; Long term systemic effects: 5.83 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 0.42 mg/kg General population - Inhalation; Long term systemic effects: 1.25 mg/m3

19-20 Sandleheath Industrial Estate, Fordingbridge, Hampshire, SP6 1PA, UK Tel: 01425 655555 Email: technical@madarcorporation.co.uk

#### PINE OIL SYLVESTRIS AUSTRIAN

PNEC - STP; 0.2 mg/l

- Soil; 1.015 mg/kg

- Fresh water; 0.00028 mg/l- Marine water; 0.0008 mg/l

Sediment (Freshwater); 5.022 mg/kgSediment (Marinewater); 0.502 mg/kg

#### Camphene (CAS: 79-92-5)

**DNEL** Workers - Inhalation; Long term systemic effects: 110.19 mg/m³

Workers - Inhalation; Short term systemic effects: 110.19 mg/m³ Workers - Dermal; Long term systemic effects: 0.21 mg/kg, bw/day Workers - Dermal; Short term systemic effects: 1.25 bw/day, mg/kg

General population - Inhalation; Long term systemic effects: 54.3 mg/m³ General population - Inhalation; Short term systemic effects: 54.3 mg/m³ General population - Dermal; Long term systemic effects: 0.1 bw/day, mg/kg General population - Dermal; Short term systemic effects: 0.625 bw/day, mg/kg General population - Oral; Long term systemic effects: 0.1 mg/kg, bw/day

General population - Oral; Short term systemic effects: 0.625 bw/day, mg/kg

PNEC - Fresh water; Short term 0.001 mg/l

- Intermittent release, Fresh water; 0.001 mg/l

- Marine water; Short term 0 mg/l

- STP; Short term 10 mg/l

Sediment (Freshwater); Short term 0.026 mg/kgSediment (Marinewater); Short term 0.003 mg/kg

- Soil; Short term 0.021 mg/kg

## a terpinolene (CAS: 586-62-9)

**DNEL** Workers - Inhalation; Long term systemic effects: 3.6 mg/m³

Workers - Dermal; Long term systemic effects: 0.52 bw/day, mg/kg General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Dermal; Long term systemic effects: 0.26 bw/day, mg/kg

General population - Oral; Long term systemic effects: 0.26 bw/day, mg/kg

PNEC - Fresh water; Short term 0.634 mg/l

- Intermittent release, Fresh water; Short term 0.634 mg/l

- Marine water; Short term 0.063 mg/l

- STP; Short term 0.2 mg/l

Sediment (Freshwater); Short term 14.7 mg/kgSediment (Marinewater); Short term 14.7 mg/kg

- Soil; Short term 29.1 mg/kg

#### 8.2. Exposure controls

## Protective equipment









Appropriate engineering controls

Provide eyewash station Provide adequate ventilation.

Personal protection

Use personal protection according to Directive 89/686/EEC

Eye/face protection

Approved safety goggles.

#### PINE OIL SYLVESTRIS AUSTRIAN

Hand protection Chemical resistant gloves (PVC)

Other skin and body

protection

Wear apron or protective clothing in case of contact.

Hygiene measures Good personal hygiene procedures should be implemented.

**Respiratory protection** Generally unnecessary in a well ventilated area.

If ventilation is insufficient, respiratory protection must be worn.

**Environmental exposure** 

Avoid discharging into drains. Do not allow run-off fire fighting to enter drains or water

controls course

## SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless to pale yellow.

Odour Characteristic.

Melting point <-20°C

Initial boiling point and range 169.4°C @ 101.325 kPa

Flash point  $\geq 37^{\circ}\text{C}$ 

**Relative density** 0.855 - 0.875 @ 20°C

9.2. Other information

**Refractive index** 1.465 - 1.480 @ 20°C

Optical Rotation -30 to +10

**Hydrocarbon Content** 

#### SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** The substance is stable under normal storage and handling conditions.

10.2. Chemical stability

Stability Stable under the prescribed storage conditions.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Oxidising materials.

#### 10.6. Hazardous decomposition products

Hazardous decomposition Wh

When heated to decomposition, it emits acrid smoke, fumes as well as monoxide and carbon

**products** dioxide.

#### **SECTION 11: Toxicological information**

## PINE OIL SYLVESTRIS AUSTRIAN

## 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅o) LD₅o >5000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) No information available.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) No information available.

Skin corrosion/irritation

**Skin corrosion/irritation** May cause skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation No data available.

Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

Aspiration hazard

**Aspiration hazard** May be fatal if swallowed and enters airways.

## SECTION 12: Ecological Information

#### 12.1. Toxicity

**Toxicity** No data available.

**Toxicity to soil** No data available.

### 12.2. Persistence and degradability

#### 12.3. Bioaccumulative potential

12.4. Mobility in soil

**Mobility** No data available.

#### 12.5. Results of PBT and vPvB assessment

## 12.6. Other adverse effects

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Do not empty into drains. Avoid release to the environment.

## SECTION 14: Transport information

## 14.1. UN number

UN No. (ADR/RID) 1272

UN No. (IMDG) 1272

UN No. (ICAO) 1272

**UN No. (ADN)** 1272

#### 14.2. UN proper shipping name

Proper shipping name

PINE OIL

(ADR/RID)

## PINE OIL SYLVESTRIS AUSTRIAN

Proper shipping name (IMDG) PINE OIL Proper shipping name (ICAO) PINE OIL Proper shipping name (ADN) PINE OIL

## 14.3. Transport hazard class(es)

ADR/RID class

ADR/RID classification code F1

ADR/RID label 3

**IMDG class** 3

ICAO class/division 3

**ADN class** 3

#### Transport labels



### 14.4. Packing group

ADR/RID packing group Ш IMDG packing group Ш ICAO packing group Ш ADN packing group Ш

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

**EmS** F-E, S-E

ADR transport category 3 **Emergency Action Code** 3Y

**Hazard Identification Number** 30

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Guidance CHIP for everyone HSG228.

### 15.2. Chemical safety assessment

#### SECTION 16: Other information

## PINE OIL SYLVESTRIS AUSTRIAN

Revision date 05/06/2018

Revision 1

SDS number 5176

Hazard statements in full H226 Flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



## **Product Specification**

PRODUCT DETAILS			
Product Name	PINE OIL SYLVESTRIS AUSTRIAN		
Product Code	OEPINESYLV		
Tariff Number	33012941		
Country of Origin	Austria		
INCI Name	Pinus Sylvestris L.		
Natural Status	We hereby declare, to the best of our knowledge and from information received		
	from our supplier, that this product is in Articles 3 (2) (d) of Regulation (EC) 1334 natural.  This product does not contain any solver	/2008 and therefore can be designated as	
Food Grade Status	· ·		
rood Grade Status		We confirm, from information received from our supplier, that this product conforms with EU Regulations and can be used in food.	
Kosher Certified	No but can be added		
Halal Certified	does not contain any ingredient derived feathers, animal fats, animal extracts, bl and/or other meat products. This produ	We hereby declare, from information received from our supplier, that this product does not contain any ingredient derived from animal origin, extracted from hair or feathers, animal fats, animal extracts, blood of any origin, blood plasma, pork and/or other meat products. This product does not contain alcohol (ethanol or grain alcohol) and has not been used in the manufacturing process.	
GMO Declaration	this product does not derive from geneti	To the best of our knowledge and from information received from our supplier, this product does not derive from genetically modified starting raw material, or additives that are derived from genetically modifed organisms.	
Manufacturing Process	Pine Sylvestris Oil Austrian is the volatile Pinus Sylvestris L.	Pine Sylvestris Oil Austrian is the volatile oil expressed from the needles of the Pinus Sylvestris L.	
Identification	CAS No: 84012-35-1	EINECS No: 281-679-2	
	Alternative CAS: 8023-99-2		
<b>PHYSICAL AND CHEMICAL</b>	CHARACTERISTIC		
Appearance	Liquid		
Colour	Colourless to Pale Yellow		
Odour	Characteristic		
Relative Density @ 20°C	0.855 - 0.875		
Refractive Index @ 20°C	1.465 - 1.480		
Optical Rotation °	-30 to +10		
Flash Point °C	≥37		
Melting Point °C	<-20	<-20	
Boiling Point °C	169.4°C @ 101.325 kPa		
FRAGRANCE ALLERGENS			
Limonene (5989-54-8) 4 - 15%			
FOOD ALLERGENS			
NONE PRESENT			
IFRA			
NONE PRESENT	<u> </u>	1	
STORAGE			
Storage	Store in tightly closed container with and dry place.	minimum headspace in a cool, dark	

DISCLAIMER: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability of such information for his own particular use. Where MADAR Corporation make a declaration that allergenic material are not present in any product, this statement is made assuming reasonable levels of detection. It is impossible to guarantee the "absolute absence" of any material. It is the ultimate responsibility of the customer to ensure the safety of the intended final product containing this material, by carrying out additional tests if necessary.

Issue No: 1 05/06/2018



## **Vegan and Vegetarian Statement**

IDENTIFICATION	
Product:	PINE OIL SYLVESTRIS AUSTRIAN
Cas No:	84012-35-1
EINECS No:	281-679-2
STATEMENT	

We, MADAR Corporation Limited, from information received from our supplier, hereby declare that the material listed above is compliant with a vegan diet.

It does not contain any animal ingredients or animal by products. No animal ingredients or by products are used in the manufacturing process.

This document represents to the best of our knowledge and from information received from our supplier. It does not release the buyer from the obligation to carry out an examination of the goods received. All uses made by the buyer are done under their own responsibility.